

#### **TriWorldDevelopers**

Royal Residency, 66 Feet Road, Jalandhar 144020, Punjab triworld.17@gmail.com | www.triworldgroup.com

Date:

To

The Additional Director,

Ministry of Environment, Forest & Climate Change.

Regional Office (North)

Government of India

Bay No. 24-25, Sector-31A

Chandigarh.

(Mail ids.: eccompliance-nro@gov.in and ronz.chd-mef@nic.in)

Subject: Submission of Six Monthly Compliance Report for period ending 30.09.2024 for

Group Housing project namely Royal Residency located at 66 ft. Road, Village Kadianwali (HB No. 292), Distt. Jalandhar, Punjab by M/s Triworld Developers

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting six monthly compliance report for period ending 30.09.2024 for the above said project in soft copy through mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you

For TRIWORLD DEVELOPERS

For M/s Triworld Developers

Authorised Signatory

(Authorized Signatory)

Name: KARANDEE P. SINGU Contact No.: 95010.26385...

Designation: MANAGER...

Email: T.R.I.W.O.R.L.D. . 1.7. 6. gusau. Com

CC to:

Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science and Technology, MGSIPA Complex, Sector 26, Chandigarh- 160019 (Online uploaded on Parivesh portal)

# SIX MONTHLY COMPLIANCE REPORT

(Period ending 30.09.2024)

OR

For

## **Royal Residency**

66 ft. Road, Village Kadianwali

#### **Project by:**

M/s Triworld Developers 66 ft. Road, Village Kadianwali (HB No. 292), Distt. Jalandhar, Punjab

### Prepared by:



# **Eco Paryavaran Laboratories & Consultants Private Limited**

E-207, Industrial Area, Phase-VIII B (Sector-74), SAS Nagar (Mohali) Punjab.

www.ecoparyavaran.org Phone: 0172-4616225, 8872043178

#### **CONTENT**

S. No.	o. Description			
1.	Data Sheet	1		
2.	Compliance of Environmental Clearance conditions	4		
	Annexure	•		
3.	A-1: Copy of Environmental Clearance letter	26		
4.	A-2: Photographs of the project	43		
5.	A-3: CLU	46		
6.	A-4: Structural Stability Certificate	51		
7.	A-5: Permission for Power Load from PSPCL	52		
8.	A-6: NOC from Municipal Corporation for SWM	54		
9.	A-7(a): Consent to Establish	56		
10.	A-7(b): Consent to Operate	63		
11.	A-8: Test reports of Ambient air, Ground water, Noise & Soil	78		
12.	A-9: Environment Policy of the Company	83		
15.	A-10: Advertisement of EC letter	84		

#### Ministry of Environment, Forest and Climate Change Northern Regional Office, Chandigarh-160030

#### **DATA SHEET**

1.	Project Type	Group Housing Project
2.	Name of the Project	Royal Residency by M/s Triworld Developers
3.	Clearance letter (s)/O.M No. &	Environment Clearance granted by SEIAA,
	dates	Punjab vide Letter No. DECC/SEIAA/2019/
		828 dated 22.08.2019; copy of the same is
		enclosed as Annexure 1.
4.	Location	Royal Residency
		66 ft. Road, Village Kadianwali
	a) District (s)	Jalandhar
	b) State (s)	Punjab
	c) Latitudes/ Longitudes	31°14'57.09"N & 75°34'14.99"E
5.	Address for correspondence	M/s Triworld Developers
		66 ft. Road, Village Kadianwali (HB No. 292),
		Distt. Jalandhar, Punjab
		Pin code 144020
6.	Salient features	
	a) of the project	As per the Environmental Clearance, the total area of the project is 10.68 acres (43,220.42 sq.m) and built up area of the project will be 83,340.99 sq.m.
	b) of the environmental management plans	As per the Environmental Clearance, total water requirement for the project will be 192 KLD, out of which fresh water requirement will be 149 KLD which will be met from ground water and 43 KLD will be flushing water demand met from treated water.  Approx. 153.6 KLD of wastewater will be generated from the project; out of which, 76.8 KLD will be sewage (black water) which will be treated in proposed STP of capacity 125 KLD and remaining 76.8 KLD wastewater (grey water) will be treated in treatment plant of capacity 125 KLD.  Total quantity of solid waste generated will be 575 kg/day.  Total power requirement will be 1,763 KW which will be supplied by PSPCL.
7.	Break-up of the project area	

	a) Submergence area: Forest and	Not applicable
	Non-forest	
	b) Others	Not applicable
8.	Break-up of project affected	Not applicable
	population with enumeration of	
	those losing houses/dwelling units	
	only, agricultural land only both	
	dwelling units and agricultural	
	land and landless labourers/	
	artisans.	
	a) SC/ST/Adivasis	Not applicable
	<b>b) Others</b> (Please indicate whether	Not applicable
	these figures are based on any	
	scientific and systematic survey	
	carried out or only provisional	
	figures. If a survey has been carried	
	out give details and year of survey)	
9.	Financial details:	
	a) Project cost as originally	As per EC letter, total cost of the project is
	planned and subsequent revised	Rs. 67.33 Crores.
	estimates and the year of price	
	reference.	
	b) Allocations made for	During construction phase, Rs. 525 lakhs will
	environmental management plans	be spent as capital cost and Rs. 4.85 lakhs per
	with item wise and year wise break	annum will be spent as recurring cost.
	up.	During operational phase, Rs. 11 lakhs per
		annum will be spent as recurring cost.
	c) Benefit cost ratio/internal rate of	Will be calculated and submitted.
	returnand the year of assessment	
	d) Whether (c) includes the cost of	Yes
	environmental management as	
	shown in b) above.	
	e) Actual expenditure incurred	Rs. 39.78 Crores have been spent on the
	on theproject so far.	project till 30 <sup>th</sup> September, 2024.
	f) Actual expenditure incurred on	Approx. Rs. 16 Lakhs have been spent on
	the environmental management	environment management plan till 30 <sup>th</sup>
	plans so far	September, 2024.
10.	1	
	a) the status of approval for	Not Applicable
	diversion of forest land for non-	
	forestry use	
	b) the status of clear felling, if any	Not Applicable
	c) the status of compensatory	Not Applicable
	afforestation, if any.	

	d) Comments on the viability & sustainability of compensatory Afforestation programme in the	Not Applicable		
	light of actual field experience so			
	far			
11.	The status of clear felling in non-	Not applicable		
	forest areas (such as submergence			
	area of reservoir, approach road) if			
	any, with quantitative			
	information			
12.	Status of construction:	Project is in construction phase. 55% construction of the project has been completed		
		for the outer infrastructure in which currently		
		85% work has been completed for the interior		
		of the project		
		Photographs showing construction status of		
		the project is enclosed as <b>Annexure 2.</b>		
	a) Date of commencement (actual	Actual date of commencement: 15.09.2019		
	and/ or planned)			
	b) Date of completion (actual	Planned date of completion: 10.12.2025		
	and/ or planned)			
13.	Reasons for the delay, if the	Not applicable		
	project is yet to start			

# Compliance Report on conditions imposed in Environmental Clearance for Period ending 30.09.2024

#### I. Statutory Compliance

S. No.	Conditions	Reply
i.	The project proponent shall not use existing three bore wells till the permission of ground water abstraction is obtained from CGWA.	Application was submitted to CGWA for seeking permission regarding abstraction of ground water.  However, as per latest notification, CGWA is not processing ground water approval of Punjab state. Thus, application will be submitted to Punjab Water Regulation & Development Authority (PWRDA) for seeking permission regarding abstraction of ground water.
ii.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	<ul> <li>All the required approvals obtained as and when required. Following approvals has been obtained so far:</li> <li>Change of landuse (CLU) has been obtained from Department of Town and Country Planning Punjab; copy of the same is enclosed as Annexure 3.</li> <li>Structure Safety Certificate has been obtained from Competent Authority; copy of the same is enclosed as Annexure 4.</li> <li>Permission has been obtained from PSPCL for power load; copy of the same is enclosed as Annexure 5.</li> <li>NOC has been obtained from Municipal Corporation, Jalandhar regarding disposal of solid waste; copy of the same is attached along as Annexure 6.</li> </ul>
iii.	The approval of the competent authority shall be obtained for structural safety of the buildings due to earthquakes, adequacy of firefighting equipment's, etc. as per National Building Code including protection measures from lightening.	Building has been designed as per NBC norms
iv.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Not applicable, as there is no involvement of forest land in the project and neither for approach road.

v.	The project proponent shall obtain	Not applicable, as no Wildlife Sanctuary or Eco-
	clearance from the National Board	Sensitive areas falls within 10 km of the project
	for Wildlife, if applicable.	location. Thus, no NBWL clearance is
		required.
vi.	The project proponent shall obtain Consent to Establish/ Operate under	Consent to Establish has been obtained from PPCB prior to start of construction; copy of the
	the provisions of Air(Prevention &	grant Certificate is enclosed as <b>Annexure 7(a).</b>
	Control of Pollution) Act, 1981 and	Further, CTO has also been obtained for the very
	the Water (Prevention & Control of	minor existing operational part of the project;
	Pollution) Act, 1974 from the concerned State Pollution Control	copy of the certificate is attached as <b>Annexure 7(b)</b> .
	Board/ Committee.	(b).
vii.	The project proponent shall obtain	As per latest notification, CGWA is not
	the necessary permission for drawl of	processing ground water approval of Punjab
	ground water/ surface water required	state. Thus, application will be submitted to
	for the project from the competent	Punjab Water Regulation & Development
	authority.	Authority (PWRDA) for seeking permission regarding abstraction of ground water.
viii.	A certificate of adequacy of available	Permission has been obtained from Punjab State
	power from the agency supplying	Power Corporation Limited for power load;
	power to the project along with the	copy of the same is enclosed as Annexure 5.
	load allowed for the project should	
	be obtained.	
ix.	All other statutory clearances such as the approvals for storage of diesel	All the required permissions obtained as and when required. Following approvals has been
	from Chief Controller of Explosives,	obtained so far:
	Fire Department, Civil Aviation	• Change of landuse (CLU) has been obtained
	Department shall be obtained, as	from Department of Town and Country
	applicable, by project proponents	planning Punjab; copy of the same is
	from the respective competent authorities.	enclosed as Annexure 3.
	audionics.	• Structure Safety Certificate has been obtained from Competent Authority; copy of
		the same is enclosed as <b>Annexure 4</b> .
		Permission has been obtained from PSPCL
		for power load; copy of the same is enclosed
		as Annexure 5.
		NOC has been obtained from Municipal
		Corporation, Jalandhar regarding disposal of solid waste; copy of the same is attached
		along as <b>Annexure 6.</b>
X.	The provisions of the Solid Waste	Agreed. The same is being complied.
	(Management) Rules, 2016, E-Waste	
	(Management) Rules, 2016,	
	Construction & Demolition Waste	

	Rules, 2016 and the Plastics Waste (Management) Rules, 2016 shall be	
	followed.	
xi.	The project proponent shall follow	Agreed. The same is being complied.
	ECBC/ ECBC-R prescribed by	
	Bureau of Energy Efficiency,	
	Ministry of Power strictly.	
xii.	The project site shall confirm to the	Change of landuse (CLU) has been obtained
	suitability as prescribed under the	from Department of Town and Country planning
	provisions laid down under the	Punjab; copy of the same is enclosed as
	master plan of respective city/ town.	Annexure 3.
	For that, the project proponent shall	
	either to submit the NOC/ land use	
	conformity certificate from Deptt. of	
	Town and Country Planning or other	
	concerned Authority under whom	
	jurisdiction, the site falls.	
xiii.	Besides above, the project proponent	The siting criteria/ guidelines, standard
	shall also comply with siting criteria/	operating practices, code of practice and
	guidelines, standard operating	guidelines given by PPCB/CPCB/ MoEF&CC
	practices, code of practice and	are being complied specified for such types of
	guidelines if any prescribed by the	projects.
	SPCB/CPCB/MoEF&CC for such	
	type of projects.	

### II. Air quality monitoring and preservation

S. No.	Conditions	Reply
i.	Notification GSR 94(E) dated	Dust mitigation measures are being
	25.01.2018 of MoEF&CC regarding	implemented at construction site like regular
	Mandatory Implementation of Dust	water sprinkling, windbarriers, tarpaulin sheets
	Mitigation Measures for	so that there is minimum impact on the
	Construction and Demolition	environment.
	Activities for projects requiring	
	Environmental Clearance shall be	
	complied with.	
ii.	A management plan shall be drawn	Mitigation measures are being implemented at
	up and implemented to contain the	construction site such as regular water
	current exceedance in ambient air	sprinkling, wind barriers, tarpaulin sheets so that
	quality at the site.	there is minimum impact on the air
		environment.
iii.	The project proponent shall install	Ambient air quality is being monitored on half
	system to carryout Ambient Air	yearly basis by NABL accredited laboratory
	Quality monitoring for common/	and results are within the limits. Test reports are

	criterion parameters relevant-to the	enclosed as Annexure 8.
	main pollutants released (e.g. PM <sub>10</sub>	Choloscu as Annexule 0.
	1	
	and PM <sub>2.5</sub> ) covering upwind and downwind directions during the	
	construction period.	
iv.	Diesel power generating sets	Adequate stack height has been provided for
	proposed as source of backup power	DG sets. Further, low Sulphur diesel is being
	should be of enclosed type and	used in DG sets.
	conform to rules made under the	
	Environment (Protection) Act,	
	1986. The height of stack of DG sets	
	should be equal to the height needed	
	for the combined capacity of all	
	proposed DG sets. Use of low	
	sulphur diesel. The location of the	
	DG sets may be decided with in	
	consultation with State Pollution	
	Control Board.	
v.	Construction site shall be adequately	Dust mitigation measures are being
	barricaded before the construction	implemented at construction site like regular
	begins. Dust, smoke & other air	water sprinkling, windbarriers, tarpaulin sheets
	pollution prevention measures shall	to suppress dust generated during construction
	be provided for the building as well	activities.
	as the site. These measures shall	
	include screens for the building	
	under construction, continuous dust/	
	wind breaking walls all around the	
	site (at least 3-meter height).	
	Plastic/tarpaulin sheet covers shall	
	be provided for vehicles bringing in	
	sand, cement, murram and other	
	construction materials prone to	
	causing dust pollution at the site as	
	well as taking out debris from the	
	site.	
vi.	Sand, murram, loose soil, cement,	Construction material is kept covered to prevent
٧1.	stored on site shall be covered	dust pollution.
	adequately so as to prevent dust	dust polition.
	pollution.	
vii.	All the topsoil excavated during	Excavated top soil stored within project
, , , ,	construction activities should be	premises shall be used for the development of
	stored for use in horticulture/	green area. Photograph showing green belt
	landscape development within the	developed within project premises is enclosed
	project site.	as Annexure 2.
viii.	Wet jet shall be provided for grinding	
		0

	and stone cutting.			
ix.	Unpaved surfaces and loose soil shall	Unpaved surfaces and loose soil is being		
	be adequately sprinkled with water to	sprinkled adequately with water to suppress		
	suppress dust.	dust.		
X.	All construction and demolition	Construction and demolition debris is being		
	debris shall be stored at the site (and	used for levelling and construction of internal		
	not dumped on the roads or open	roads within project premises.		
	spaces outside) before they are			
	properly disposed. All demolition			
	and construction waste shall be			
	managed as per the provisions of the			
	Construction and Demolition Waste			
	Rules, 2016.			
xi.	The diesel generator sets to be used	DG sets provided at construction site are using		
	during construction phase shall be	low Sulphur diesel type fuel.		
	low sulphur diesel type and shall			
	conform to Environmental			
	(Protection) prescribed for air and			
	noise emission standards.			
xii.	The gaseous emissions from DG set	Adequate stack height has been provided to DG		
	shall be dispersed through adequate	sets. Further, low Sulphur diesel fuel is being		
	stack height as per CPCB standards.	used.		
	Acoustic enclosure shall be provided			
	to the DG sets to mitigate the noise			
	pollution. Low sulphur diesel shall			
	be used. The location of the DG set			
	and exhaust pipe height shall be as			
	per the provisions of the Central			
	Pollution Control Board (CPCB)			
xiii.	norms.	Dropor ventilation has been provided as more		
XIII.	For indoor air quality the ventilation	Proper ventilation has been provided as per		
	provisions as per National Building Code of India.	NBC Norms.		
	Code of maia.			

### III. Water quality monitoring and preservation

S. No.	Conditions	Reply
i.	The natural drain system should be maintained	Agreed. Natural drainage system of
	for ensuring unrestricted flow of water.	the area is not altered to ensure
		unrestricted flow of water.
ii.	No construction shall be allowed to obstruct the	Natural drainage of the area has not
	natural drainage through the site, on wetland	been altered or interrupted.
	and water bodies. Check dams, bio-swales,	
	landscape, and other sustainable urban drainage	

	Ι ,	(QLIDQ	\ 11	1 C	,	I
	_		) are allowed		_	
	the drainage pattern and to harvest rain water.					
iii.	topography as much as possible. Minimum t			Agreed. Buildings are designed as per		
				the natural topography.		
	cutting and filling should be done.					
iv.			requirement f	_	=	Total fresh water requirement of the
		=	out of which		=	project will not exceed 149 KLD.
		_	own tubewell		_	
		-	n recycling			
			h water use sl			
		-	ement as prov	ided in the	e project	
	detai					
v.			astewater ger			a) Wastewater generated from the
			153.6 KL/da	•		project will be treated in STP of
		=	te STPs i.e. o		_	capacity 125 KLD for black
			stream (50%)			stream and treatment plant of
		_	ey stream (50			capacity 125 KLD for grey stream.
		•	m within the			Treated water will be used for
	As p	roposed, re	use of treated	d wastewa	ater and	flushing and horticulture purpose
		_	rplus treated	wastewat	er shall	and remaining discharged into MC
	be as	under:				Sewer.
	S.	Season	For	Green	Into	
	No.		flushing	Area	Sewer	
			purposes	(KLD)	KLD*	
			(KLD)			
	1.	Summer	43	20.5	90.7	
	2.	Winter	43	6.68	104.5	
	3.	Monsoo	43	1.8	109.4	
		n				
		,	he MC sewer			
			site at the op		_	
	the project than the project proponent will lay down the sewer line connecting to main MC Sewer which is only 1.5 km (approx.) from project site at its own cost arrangement as undertaken. Alternatively, project proponent					
	shall purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land					
	as undertaken by Project Proponent.					
1	In case of lack of arrangement of disposal of				1 2	
	In ca	se of lack	y Project Propof arrangeme	ponent. ent of disp		
	In ca	se of lack ed sewage	y Project Proj	ponent. ent of disp d above,	project	

	under the project	
	under the project.  b) Storage tenk of adagnets correcity shall be	h) Agreed Same shall be complied
	b) Storage tank of adequate capacity shall be	b) Agreed. Same shall be complied
	provided for the storage of treated wastewater	
	and all efforts shall be made to supply the same	
	for construction Purposes.	
	c) During construction phase, the project	c) Agreed.
	proponent shall ensure that the wastewater	
	being generated from the labour	
	quarters/toilets shall be treated and disposed in	
	environment friendly manner. The project	
	proponent shall also exercise the option of	
	modular bio-toilets or will provide proper and	
	adequately design septic tanks for the treatment	
	of such waste water and treated effluents shall	
	be utilized for green area/ plantation.	
vi.	The project proponent shall ensure safe	Safe drinking water shall be provided
	drinking water supply to the habitants.	to the habitants after adequate
	Adequate treatment facility for drinking water	treatment, if required.
	shall be provided, if required.	
vii.	The wastewater generated from swimming	Wastewater generated from
	pool(s) shall not be discharged and the same	swimming pool will be reused for
	shall be reused within the premises for	horticulture purpose, HVAC etc.
	purposes such as horticulture, HVAC etc.	within project premises.
viii.	The quantity of fresh water usage, water	Records of fresh water usage, water
V 111.	recycling and rainwater harvesting shall be	recycling and rainwater harvesting
	measured and recorded to monitor the water	will be maintained after the project
	balance as projected by the project proponent.	becomes operational and record will
	The record shall be submitted to the Regional	be submitted to RO, MoEF&CC with
	Office, MoEF&CC along with six monthly	six monthly compliance report.
	Monitoring reports.	six montiny compliance report.
ix.	A certificate shall be obtained from the local	Agrand Latter will be obtained from
IX.		Agreed. Letter will be obtained from
	body supplying water, specifying the total	local water supply agency regarding
	annual water availability with the local	availability of water supply.
	authority, the quantity of water already	
	committed, the quantity of water allotted to the	
	project under consideration and the balance	
	water available. This should be specified	
	separately for ground water and surface water	
	sources, ensuring that there is no impact on	
	other users.	
х.	At least 20% of the open spaces as required by	Agreed. Adequate open and green area
	the local building bye-laws shall be pervious.	has been provided within the project
	Use of Grass pavers, paver blocks with at least	premises as per building bye-laws.
	50% opening, landscape etc. would be	Photograph showing green and open
	considered as pervious surface.	area provided within the project is

				enclosed as Annexure 2.
xi.	supply and b recycl irrigat	ation of dual pipe pluying fresh water for drinking athing etc. and other for ed water for flushing, ion, car washing, therm tioning etc. shall be done.	ng, cooking supply of landscape	Dual plumbing system has been provided within the project premises and treated water will be recycled for flushing, horticulture purposes within the project premises.
xii.	discoutheir inform require necess shall storing compo	respective project proporting the installation of R. projects in order to save an of RO reject. However, ement of installing RO plansary then the rejected stream be separated and shall be go the same within the ponent i.e. (Tower/Mall) or in the project premises.	O. plants in the wastage in case the nt is utmost from the RO utilized by e particular	Installation of individual RO plant shall be discouraged. If required, then RO reject will be collected and reused within the project only.
xiii.	The prinnova dischary with urinals alarmit tanks managereduces abstra	roject proponent shall also ad ating technologies like arging taps (faucet with aerate electronic sensor system/s/ twin flush cisterns/ seting system for overhead wand make it a part of the engement plans/ building plate the water consumption/ getion in their Building Contrial projects.	less water tors)/ urinals water less ensor based rater storage avironmental ns so as to round water	Agreed. Less water consuming technologies have been adopted to reduce the water consumption.
xiv.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.		Dual plumbing system has been provided for grey and black water.	
XV.	The p system flushin colour water/ treated	roject proponent will provious for reuse of treated was ng/ HVAC/ other purposes coding of different pipe line wastewater from different distributions.	stewater for es etc. and nes carrying ent sources/	Dual plumbing system has been provided within the project premises as per the specified colour coding and treated water shall be recycled for flushing and horticulture purposes within the project premises.
	S.	Nature of the Stream	Color code	
	<b>No.</b> a)	Fresh Water	Blue Color	-
	b)	Untreated waste water	Black	1
	0)	from Toilets/ urinal & from kitchen	Color	

	d)	Untreated waste water from Bathing/ shower area, hand washing (washbasin/ sinks) and from cloth washing.  Reject water streams	Grey Color	
	d)	(washbasin/ sinks) and from cloth washing.		
	d)	from cloth washing.		
	d)			
	d)	Reject water streams		
		J	White	
		from RO plants & AC	Color	
		condensate (this is to be		
		implemented wherever		
		centralized AC system		
		and common RO has been		
		proposed in the Project).		
		Further, in case of		
		individual		
		houses/establishment this		
		proposal may also be		
		implemented wherever		
		possible.		
	e)	Treated waste water (for	Green	
		reuse only for plantation	Color	
		purposes) from the STP		
	f)	treating black water.  Treated wastewater (for	Green with	
	1)	`		
			strips	
		=		
		· ,		
	g)	Strom water	Orange	
			Color	
xvi.	Water	demand during construction	n should be	Agreed. Curing agents as well as pre-
		•	_	mixed concrete are used to reduce
XVII.		•		
		=	=	
	_	•	-	ground water.
		•		
	_	•		
		, , ,		
			00 P**	
XVIII.			needs to be	2 Recharging pits have been
				constructed so far to recharge the
	one re	saharaa hara nar 5 000 gaya	ra matara of	ground water.
xvii.	Color  Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.  The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits (17 Nos)/ storage tanks shall be provided for ground water recharging as per the CGWB norm.		mixed concrete are used to reduce water demand.  2 Recharging pits have been constructed so far to recharge the ground water.  2 Recharging pits have been constructed so far to recharge the constructed so far to recharge the	

built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water	
be provided. In areas where ground water	
recharge is not feasible, the rain water should	
be harvested and stored for reuse. The ground	
water shall not be withdrawn without approval	
from the Competent Authority.	
xix. All recharge should be limited to shallow Agreed, depth of the rechar	ge pit is
aquifer. limited to shallow aquifer on	
xx. No ground water shall be used during Agreed.	<u> </u>
construction phase of the project. Only treated	
sewage/ wastewater shall be used. A proper	
record in this regard should be maintained and	
available at site.	11.1
xxi. Any ground water dewatering should be Agreed. Same shall be comp	ned.
properly managed and shall conform to the	
approvals and the guidelines of the CGWA in	
the matter. Formal approval shall be taken from	
the CGWA for any ground water abstraction or	
dewatering.	
xxii. The quantity of fresh water usage, water Records of fresh water usage	ge, water
recycling and rainwater harvesting shall be recycling and rainwater h	arvesting
measured and recorded to monitor the water will be maintained after th	e project
balance as projected by the project proponent. becomes operational and re-	cord will
The record shall be submitted to the Regional be submitted to RO, MoEF&	cCC with
Office, MoEF&CC along with six monthly six monthly compliance repo	rt.
Monitoring reports.	
xxiii. Sewage shall be treated in the STP with tertiary Wastewater generated fr	om the
treatment. STP shall be installed in phased project will be treated in	
manner viz a viz in module system designed in capacity 125 KLD for blace	
a such a way so as to efficiently treat the waste and treatment plant of capa	
water with increase in its quantity due to rise in KLD for grey stream. Treat	•
occupancy. The treated effluent from STP shall will be used for flush be recycled/re-used for flushing, AC make up horticulture purpose and r	_
	Ciliaillilig
water and gardening. As proposed, no treated discharged into MC Sewer.	
water shall be disposed in to municipal drain.	1
xxiv. No sewage or untreated effluent water would No sewage will be discharge	
be discharged through storm water drains. of project premises. We	
Onsite sewage treatment of capacity of treating generated from the project	
100% wastewater to be installed. The treated in STP of capacity 1	
installation of the Sewage Treatment Plant for black stream and treatment	-
(STP) shall be certified by an independent of capacity 125 KLD for gre	=
expert and a report in this regard shall be Treated water will be	
submitted to the Ministry before the project is flushing and horticulture pur	_
commissioned for operation. Treated waste remaining discharged into M	C Sewer.

	water shall be reused on site for landscape,	
	flushing, cooling tower, and other end uses.	
	Excess treated water shall be discharged as per	
	statutory norms notified by Ministry of	
	Environment, Forest and Climate Change.	
	Natural treatment systems shall be promoted.	
XXV.	Periodical monitoring of water quality of	Periodical monitoring of water quality
	treated sewage shall be conducted. Necessary	of treated sewage will be conducted
	measures should be made to mitigate the odour	and necessary measures shall be
	problem from STP.	undertaken to mitigate the odour
		problem from STP.
xxvi.	Sludge from the onsite sewage treatment,	Sludge from sewage treatment plant
	including septic tanks, shall be collected,	will be used for landscaping.
	conveyed and disposed as per the Ministry of	
	Urban Development, Central Public Health and	
	Environmental Engineering Organization	
	Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage	

### IV. Noise monitoring and prevention

S. No.	Conditions	Reply
i.	Ambient noise levels shall conform to	Ambient noise quality has been
	residential area/ commercial area/	monitored and results are found within
	industrial area/ silence zone both during	permissible limits. Test reports are
	day and night as per Noise Pollution	enclosed as Annexure 8.
	(Control and Regulation) Rules, 2000.	
	Incremental pollution loads on the ambient	
	air and noise quality shall be closely	
	monitored during construction phase.	
	Adequate measures shall be made to	
	reduce ambient air and noise level during	
	construction phase, so as to conform to the	
	stipulated standards by CPCB/SPCB.	
ii.	Noise level survey shall be carried as per	Noise monitored has been carried out on
	the prescribed guidelines and report in this	six monthly basis and test reports are
	regard shall be submitted to Regional	being submitted with six monthly
	Officer of the Ministry as a part of six	compliance report. Test reports are
	monthly compliance report.	enclosed as Annexure 8.
iii.	Acoustic enclosures for DG sets, noise	Acoustic enclosures for DG sets has been
	barriers for ground-run bays, ear plugs for	provided.
	operating personnel shall be implemented	
	as mitigation measures for noise impact	
	due to ground sources.	

### V. Energy Conservation measures

S. No.	Conditions	Reply
i.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the	Agreed. The same is being complied.
	State ECBC.	
ii.	Outdoor and common area lighting shall be LED.	Agreed. LED lights have been provided.
iii.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof uvalues shall be as per ECBC specifications.	Agreed. Energy Conservation Building Code is being followed to conserve the energy.
iv.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	Agreed.
V.	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-law's requirement, whichever is higher.	Agreed. Same shall be complied.
vi.	Solar power by utilizing at least 30% of the roof top area shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building byelaws, whichever is higher. Residential buildings are also recommended to meet	Agreed. Energy Conservation Building Code shall be followed to conserve the energy. Also, solar lights will be provided for illumination of common areas.

its hot water demand from solar water heaters, as far as possible.

#### VI. Waste Management

S. No.	Conditions	Reply
i.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	NOC has been obtained from Municipal Corporation, Jalandhar regarding disposal of solid waste; copy of the same is attached along as <b>Annexure 6</b> .
ii.	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Small quantity of muck is being generated during construction activities. It will be disposed off properly by taking the necessary precautions for general safety and health aspects of people.
iii.	Chute system, Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Solid waste will be collected, stored and disposed off as per Solid Waste Management Rules, 2016. NOC has been obtained from Municipal Corporation, Jalandhar regarding disposal of solid waste; copy of the same is attached along as <b>Annexure 6</b> .  Separate bins will be provided for waste segregation.
iv.	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg/person/day must be installed for treatment and disposal of the waste.	Mechanical composter shall be provided for treatment of biodegradable waste.
V.	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	Agreed. All the non-biodegradable waste shall be given to authorized recyclers.
vi.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	The hazardous waste generated during construction phase is kept in separate room and is being sold to authorized vendor.
vii.	Use of environment friendly materials in bricks, blocks and other construction	Agreed. Fly ash based bricks are being used for construction purpose.

	materials, shall be required for at least	
	20% of the construction material quantity.	
	These include Fly Ash bricks, hollow	
	bricks, AACs, Fly Ash Lime Gypsum	
	blocks, Compressed earth blocks, and	
	other environment friendly materials.	
viii.	Fly ash should be used as building material	PPC Cement is being used in
	in the construction as per the provision of	construction activities which constitute
	Fly Ash Notification of September, 1999	of Fly Ash.
	and amended as on 27 <sup>th</sup> August, 2003 and	
	25 <sup>th</sup> January, 2016. Ready mixed concrete	
	must be used in building construction.	
ix.	Any wastes from construction and	Construction waste generated from the
	demolition activities related thereto shall	project is being managed as per the C&D
	be managed so as to strictly conform to the	Rules, 2016.
	Construction and Demolition Rules, 2016.	
х.	Used CFLs and TFLs should be properly	Agreed. Same shall be complied
	collected and disposed off/ sent for	
	recycling as per the prevailing guidelines/	
	rules of the regulatory authority to avoid	
	mercury contamination.	

#### VII. Green Cover

S. No.	Conditions	Reply
i.	No tree can be felled/ transplant unless	Agreed. No tree cutting has been done.
	exigencies demand. Where absolutely	
	necessary, tree felling shall be with prior	
	permission from the concerned regulatory	
	authority. Old trees should be retained	
	based on girth and age regulations as may	
	be prescribed by the Forest Department.	
	Plantations to be ensured species (cut) to	
	species (planted).	
ii.	At least single line plantation all around	Green belt of adequate width and tree
	the boundary of the project as proposed	plantation has been done within project
	shall be provided. The open spaces inside	premises. Photographs showing the green
	the plot should be suitably landscaped and	area is enclosed as Annexure 2.
	covered with vegetation of indigenous	
	species/variety. A minimum of one tree for	
	every 80 sq.m of land should be planted	
	and maintained. The existing trees will be	
	counted for this purpose. The landscape	
	planning should include plantation of	

native species. The species with heavy
foliage, broad leaves and wide canopy
cover are desirable. Water intensive and/or
invasive species should not be used for
landscaping. The plantation should be
provided as per SEIAA guidelines.
iii. Where the trees need to be cut with prior No tree cutting has been done.
permission from the concerned local
Authority, compensatory plantation in the
ratio of 1: 10 (i.e. planting of 10 trees for
every 1 tree that is cut) shall be done and
maintained. Plantations to be ensured
species (cut) to species (planted). Area for
green belt development shall be provided
as per the details provided in the project
document.
iv. Topsoil should be stripped to a depth of 20 Top soil excavated during constructions.
cm from the areas proposed for buildings, activities is stored and used for
roads, paved areas, and external services. development of green area within
It should be stockpiled in designated areas project premises.
and reapplied during plantation of the
proposed vegetation on site
v. The project proponent shall not use any Agreed. No chemical fertile
chemical fertilizer/ pesticides/ pesticides/ insecticides shall be use
insecticides and shall use only Herbal green area.
pesticides/ insecticides and organic
manure in the green area.
vi. The green belt along the periphery of the Agreed. Same shall be complied.
plot shall achieve attenuation factor
conforming to the day and night noise
standards prescribed for residential land
use.

#### VIII. Transport

S. No.	Conditions	Reply
i.	A comprehensive mobility plan, as per	Agreed.
	MoUD best practices guidelines	
	(URDPFI), shall be prepared to include	
	motorized, non-motorized, public, and	
	private networks. Road should be designed	
	with due consideration for environment,	
	and safety of users. The road system can	
	be designed with these basic criteria.	

	a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.	
	b) Traffic calming measures.	
	c) Proper design of entry and exit points.	
	d) Parking norms as per local regulation.	
ii.	Vehicles hired for bringing construction	Vehicles used at construction site to carry
	material to the site should be in good	construction materials are being
	condition and should have a pollution	monitored on regular basis and valid
	check certificate and should conform to	PUC Certificate is made mandatory.
	applicable air and noise emission	
	standards be operated only during non-	
	peak hours.	
iii.	A detailed traffic management and traffic	Agreed.
	decongestion plan shall be drawn up to	
	ensure that the current level of service of	
	the roads within a 5 kms radius of the	
	project is maintained and improved upon	
	after the implementation of the project.	
	This plan should be based on cumulative	
	impact of all development and increased	
	habitation being carried out or proposed to	
	be carried out by the project or other	
	agencies in this 5 kms radius of the site in	
	different scenarios of space and time and	
	the traffic management plan shall be duly	
	validated and certified by the State Urban	
	Development department and the P.W.D/	
	competent authority for road augmentation	
	and shall also have their consent to the	
	implementation of components of the plan	
	which involve the participation of these	
	departments.	
iv.	Traffic congestion near the entry and exit	Adequate parking area has been provided
	points from the roads adjoining the	within project premises. Thus, parking is
	proposed project site must be avoided.	fully internalized and no public space
	Parking should be fully internalized and no	should be utilized. Photographs of the
	public space should be utilized.	project is enclosed as <b>Annexure 2</b> .

#### IX. Human Health issues

S. No.	Conditions	Reply			
i.	All workers working at the construction	Dust mask is being provided to the			

ii.	site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.  For indoor air quality the ventilation	workers working at construction site.  Proper ventilation has been provided as
11.	provisions as per National Building Code of India.	per National Building Code.
iii.	Emergency preparedness plan based on the Hazard identification and Risk	Agreed.
	Assessment (HIRA) and Disaster	
	Management Plan shall be implemented.	
iv.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	All the mandatory facilities has been provided to the labor at construction site.
V.	Occupational health surveillance of the workers shall be done on a regular basis.	Agreed. Same shall be complied.
vi.	A First Aid Room shall be provided in the project both during construction and operations of the project.	First aid kit has been provided at construction site and will remain during operational phase also.

### X. Corporate Environment Responsibility

S. No.	Conditions		Reply		
i.	The project proponent shall comply with the				CER activities shall be undertaken as
	provis	sions contained	in this Min	istry's OM	committed.
	vide I	F. No. 22-65/20	017-IA.III dat	ed 1st May	
	2018,	as applicabl	e, regarding	Corporate	
	Enviro	onment Respo	onsibility. Tl	he project	
	propo	nent shall adh	ere to the co	mmitments	
	made	in the proposa	al for CER ac	ctivities for	
	spend	ing at least min	imum amount	t of Rs. 134	
	Lacs towards following CER activities:				
	S. Activities Timeline Amount			Amount	
	No. of reserved				
				in	
				Lakhs	

_				
	1.	Adoption of	Jan. 2020-	40
		School by	Feb. 2021	
		providing its		
		library,		
		computer,		
		furniture and		
		girls toilets		
		as well as		
		repair of		
		complete		
		building as		
		per the		
		requirement.		
	2.	Modification	Mar 2021-	24
		and repair of	Jan. 2022	
		Cremation		
		ground.		
	3.	Installation	Feb. 2020-	70
		of rain water	Mar 2024	
		harvesting		
		system and		
		water cooler		
		in local gov.		
		hospital.		

However, CER activities shall strictly be in accordance with the activities listed out in the OM dated 01.05.2018 and as per the following proposal submitted by the project proponent. The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation/violation of the environmental/ forest/ wildlife norms/

Environmental policy of the company has been laid; copy of same is enclosed as **Annexure 9.** 

iii.	conditions and/ or shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six monthly report.  A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Environment Management Cell constituted of the following members:  1. Joginder Singh  2. Inderjit Singh  3. Khuswant Suman  4. Narinder Kumar Verma
iv.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs. 525 Lacs towards capital cost and Rs. 4.85 Lacs/ annum towards recurring cost in Construction phase of the project and shall spend minimum amount of Rs. 11 Lacs/ annum towards recurring cost in operation phase of the project. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/ residents society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/ Regional Office along with the Six Monthly Compliance Report.	Agreed. Details of the amount spent on Environment Management Plan is being submitted with six monthly compliance report.

### V. Validity

S. No.	Conditions	Reply
i.	This environmental clearance will be valid	Environment Clearance has been granted
	for a period of seven years from the date of	by SEIAA, Punjab vide Letter No.
	its issue or till the completion of the	DECC/SEIAA/2019/828/114 dated
	project, whichever is earlier.	29.08.2019 and valid till 28.08.2029 as

per EIA Notification & its amendments.

#### XII. Miscellaneous

S. No.	Conditions	Reply
i.	The project proponent before allowing any occupancy shall obtain completion and occupancy certificate from the Competent Authority and submit a copy of the same	Agreed. Completion certificate shall be obtained prior to the project getting operational.
	to the SEIAA, Punjab.	
ii.	The project proponent shall comply with the condition of CLU obtained vide letter No. 2460/ STP(J)/ CLU (J) dated 04.10.2017.	Agreed. Conditions of CLU has been complied.
iii.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/ SEIAA website where it is displayed.	Advertisement has already been published in the newspaper after grant of EC letter; copy of the same is attached as <b>Annexure 10.</b>
iv.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Copy of EC letter has been uploaded on company's website.
V.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Six monthly report has been uploaded on company's website.
vi.	The project proponent shall submit sixmonthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Agreed. Six monthly compliance reports are uploaded on the parivesh portal. Further, six monthly compliance report has been submitted to RO, MoEF&CC through mail on regular basis.
vii.	The project proponent shall submit the environmental statement for each financial	Agreed. Form-V shall be submitted.

	1 . =	T
	year in Form-V to the concerned State	
	Pollution Control Board as prescribed	
	under the Environment (Protection) Rules,	
	1986, as amended subsequently and put on	
	the website of the company.	
viii.	The project proponent shall inform the	Agreed.
	Regional Office as well as the Ministry,	
	the date of financial closure and final	
	approval of the project by the concerned	
	authorities, commencing the land	
	development work and start of production	
	operation by the project.	
ix.	The project authorities must strictly adhere	Agreed.
	to the stipulations made by the State	8
	Pollution Control Board and the State	
	Government.	
Х.	The project proponent shall abide by all	Agreed. Same shall be complied
Λ.	the commitments and recommendations	rigiced. Same shan be complied
	made in the EIA/EMP report, commitment	
	_	
	made during Public Hearing and also that	
	during their presentation to the Expert	
•	Appraisal Committee.	A 1 N C 1
xi.	No further expansion or modifications in	Agreed. No further expansion or
	the plant shall be carried out without prior	modification will be done without prior
	approval of the Ministry of Environment,	approval from MoEF&CC.
	Forests and Climate Change (MoEF&CC).	
xii.	Concealing factual data or submission of	Agreed.
	false/ fabricated data may result in	
	revocation of this environmental clearance	
	and attract action under the provisions of	
	Environment (Protection) Act, 1986.	
xiii.	The Ministry may revoke or suspend the	Agreed.
	clearance, if implementation of any of the	
	above conditions is not satisfactory.	
xiv.	The Ministry reserves the right to stipulate	Agreed.
	additional conditions if found necessary.	
	The Company in a time bound manner	
	shall implement these conditions.	
XV.	The Regional Office of this Ministry shall	Agreed. Full cooperation will be given to
	monitor compliance of the stipulated	officer during their visit.
	conditions. The project authorities should	
	extend full cooperation to the officer (s) of	
	the Regional Office by furnishing the	
	requisite data/ information/monitoring	
	reports.	
	1	

xvi.	The above conditions shall be enforced,	Agreed.
	inter-alia under the provisions of The	
	Water (Prevention & Control of Pollution)	
	Act, 1974, The Air (Prevention & Control	
	of Pollution) Act, 1981, the Environment	
	(Protection) Act, 1986, Hazardous and	
	Other Wastes (Management and	
	Transboundary Movement) Rules, 2016	
	and the Public Liability Insurance Act,	
	1991 long with their amendments and	
	Rules and any other orders passed by the	
	Hon'ble Supreme Court of India/ High	
	Courts and any other Court of Law relating	
	to the subject matter.	
xvii.	Any appeal against this EC shall lie with	Not applicable, as 30 days' time period
	the National Green Tribunal, if preferred,	was completed and no appeal was made.
	within a period of 30 days as prescribed	
	under Section 16 of the National Green	
	Tribunal Act, 2010.	

Date: 22/08/2019



#### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY PUNJAB

Ministry of Environment, Forest & Climate Change, Government of India
O/o Directorate of Environment & Climate Change
C/o PSCST, MGSIPA Complex,
Sector 26, Chandigarh-160019
Tele-0172-2792325
Fax- 0172-2793143

No. DECC/SEIAA/2019/828 REGISTERED

To

Sh. Joginder Singh, Partner M/s Triworld Developers 66 Feet Road Village Kadianwali, Jalandhar -144020 Mobile- 98144-70000

**Subject:** 

Environmental Clearance under EIA notification dated 14.09.2006 for establishment of a Group Housing project namely "Royal Residency" located at 66 ft. Road, Vill. Kadianwali (HB No. 292), Jalandhar, Punjab to be developed by M/s Triworld Developers (Proposal No. SIA/PB/MIS /101630/2019).

This has reference to your online Proposal No. SIA/PB/NCP/89801/2018 for the establishment of Group Housing project namely "Royal Residency" located at 66 ft. Road, Village. Kadianwali (HB No. 292), Jalandhar, Punjab for grant of Environmental Clearance under the EIA notification dated 14.09.2006. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, 1-A, EIA report and the additional clarifications furnished in response to the observations of the SEAC. The salient features of the project are as under:-

1)	Name and Location of the project	"Royal Residency" located at 66 ft. Road, Village Kadianwali (HB No. 292), Jalandhar, Punjab
	Nature of project (Fresh/ Expansion/ Amendment/ Others)	Fresh
	Activity (As per schedule appended to EIA Notification, 2006)	8(a): Building & Construction Project.

	Category as per EIA Notification, 2006 (in schedule)	Categ	Category B2				
2)	Total cost of the project	67.33	crores				
3)	Total Plot area, Built-up	The d	The details of the group housing pr			is as under:	
	Area and Green area	Sr. No.	Description	1	D	etails	
		1.	Total Pro Area	ject land	43220.42 s (10.68 Acre	•	
		2.	Net Plot Ar	ea	42937.147 (10.61 Acre	sqm.	
		3.	Built-up Ar	ea	83340.99 s	•	
		4.	Green Area	ì	3712.91 sq	m.	
		5.	Parking		581 ECS (Residential 40 ECS	Stilt Parking	)
					(Commercia Parking)	l Surface	
4)	Population (when fully inhabited)						
5)	Water Requirements & source	E	Break up o requiren		Source		
		192 I	Total water requirement: 192 KLD Fresh water: 149 KLD. Flushing purposes: 43 KLD			Groundwater	
		Flush				Treated waste water	
6)	Disposal Arrangement of Waste water	Total 153.6 KLD waste water will be generated out of which 76.8 KLD of sewage (Black Water) will be treated in STP of 125 KLD capacity and remaining 76.8 KLD of wastewater (Grey Water) will be treated in treatment plant of capacity 125 KLD. The details of disposal arrangement of waste water is as under:				ated D of ment	
		Sr. No.	Sr. Season For			Into sewer (KLD)	
		1.	Summer	(KLD) 43	20.5	90.7	
			JUILLIE	<sub> </sub>	20.3	JU./	1
		2.	Winter	43	6.68	104.5	
		_		43 43	6.68	104.5 109.4	
7)	Rain water recharging detail	2. 3. 1385.5	Winter Rainy 574 m³/ho	43 ur of rai	1.8	109.4 volume will	be

	and its disposal	c) d)	Solid wastes will be appropriately segregated as Biodegradable and non-bio-degradable as per MSW Rules, 2016.  Separate area will be earmarked for handling Biodegradable waste including segregation.  Mechanical composter will be provided for composting Bio-degradable waste.  Recyclable waste will be sold to recyclers.  Inert waste will be dumped to authorized dumping site.	
9)	Energy Requirements & Saving	b) c) d)	1763 KW from State Power Supply.  1 x 500 KVA and 1 x 320 KVA DG sets with canopy as standby arrangements will be provided.  Solar street lighting facilities will be proposed.  16.64 KW shall be saved by using CFL instead of LEDs.  31% of terrace area will be covered by Solar Panels to generate 493 KW of power.	

The case was lastly considered by the SEAC in its 181<sup>st</sup> meeting held on 11.07.2019, wherein, the Committee observed that the project proponent has provided adequate and satisfactory clarifications to the observations raised by it, therefore, the Committee awarded 'Silver Grading' to the project proposal and decided to forward the case to the SEIAA with the recommendation to grant environmental clearance to the project proponent under EIA notification dated 14.09.2006 for the project subject to certain conditions in addition to the proposed measures.

Thereafter, the case was lastly considered by the SEIAA in its 152<sup>nd</sup> meeting held on 08.08.2019. The SEIAA observed that the case stands recommended by SEAC and the Committee awarded 'Silver Grading' to the project proposal. The Authority looked into all the aspects of the project proposal in detail and was satisfied with the same.

Therefore, the Authority decided to grant environmental clearance under category-B2 with project/ activity 8(a)- for the establishment of Group Housing project namely "Royal Residency" having total land area 43220.42 sqm & built up area 83340.99 sqm located at 66 ft. Road, Vill. Kadianwali (HB No. 292), Jalandhar, Punjab, subject to the conditions as proposed by the SEAC. Accordingly, SEIAA, Punjab, hereby, accords necessary environmental clearance for the above project under the provisions

of EIA Notification dated 14.09.2006 and its subsequent amendments, subject to proposed measures & strict compliance of terms and conditions as follows: -

#### I. Statutory compliance:

- i) The project proponent shall not use existing three borewells till the permission for ground water abstraction is obtained from CGWA.
- ii) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- iii) The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- iv) The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- v) The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- vi) The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board / Committee.
- vii) The project proponent shall obtain the necessary permission for drawl of ground water/ surface water required for the project from the competent authority.
- viii) A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- ix) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- x) The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules, 2016 and the Plastics Waste (Management) Rules, 2016 shall be followed.
- xi) The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
  - xii) The project site shall confirm to the suitability as prescribed under the provisions laid down under the master plan of respective city/ town. For that, the project proponent shall either to submit the NOC/ land use conformity certificate from

- Deptt of Town and Country Planning or other concerned Authority under whom jurisdiction, the site falls.
- xiii) Besides above, the project proponent shall also comply with siting criteria / guidelines, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of projects.

#### II. Air quality monitoring and preservation

- i) Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii) A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii) The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub>) covering upwind and downwind directions during the construction period.
- iv) Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v) Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi) Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- viii) Wet jet shall be provided for grinding and stone cutting.
- ix) Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- x) All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.

- xi) The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xii) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xiii) For indoor air quality the ventilation provisions as per National Building Code of India.

#### III. Water quality monitoring and preservation

- The natural drain system should be maintained for ensuring unrestricted flow of water.
- ii) No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- iii) Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iv) The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- v) a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in a separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under:-

Sr.	Season	For	Green Area (KLD)	Into sewer (KLD)*
No.		Flushing		
		purposes		
		(KLD)		
1.	Summer	43	20.5	90.7
2.	Winter	43	6.68	104.5
3.	Rainy	43	1.8	109.4
1. 2. 3.	Winter	43	6.68	104.5

Note-\*In case, the MC sewer is not connected with the project site at the operational stage of the project than the project proponent will lay down the sewer line connecting to main MC Sewer which is only 1.5 km (approx.) from project site at its own cost arrangement as undertaken. Alternatively, project proponent shall purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize

maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent.

In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project

- b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes.
- c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation
- vi) The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required.
- vii) The waste water generated from swimming pool(s) shall not be discharged and the same shall be reused within the premises for purposes such as horticulture, HVAC etc.
- viii) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- ix) A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- x) At least 20% of the open spaces as required by the local building bye-Jaws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- xi) Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- xii) The respective project proponent shall discourage the installation of R.O. plants in their projects in order to save the wastage in form of RO reject. However, in case the requirement of installing RO plant is utmost necessary then the rejected stream from the RO shall be separated and shall be utilized by storing the same within the particular component i.e. (Tower/Mall) or in a common place in the project premises.
- xiii) The project proponent shall also adopt the new/innovating technologies like less

water discharging taps (faucet with aerators)/urinals with electronic sensor system /water less urinals / twin flush cisterns/ sensor based alarming system for overhead water storage tanks and make it a part of the environmental management plans / building plans so as to reduce the water consumption/ground water abstraction in their Building Construction & Industrial projects.

- xiv) Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- xv) The project proponent will provide plumbing system for reuse of treated wastewater for flushing/ HVAC/ other purposes etc. and colour coding of different pipe lines carrying water/wastewater from different sources / treated wastewater as follows:

Sr. No	Nature of the Stream	Color code
a)	Fresh water	Blue Color
b)	Untreated wastewater from Toilets/ urinal & from Kitchen	Black color
c)	Untreated wastewater from Bathing/shower area, hand washing (Washbasin / sinks) and from Cloth Washing	Grey color
d)	Reject water streams from RO plants & AC condensate (this is to be implemented wherever centralized AC system and common RO has been proposed in the Project). Further, in case of individual houses/establishment this proposal may also be implemented wherever possible.	White color
e)	Treated wastewater (for reuse only for plantation purposes) from the STP treating black water	Green
f)	Treated wastewater (for reuse for flushing purposes or any other activity except plantation) from the STP treating grey water	Green with strips
g)	Storm water	Orange Color

- xvi) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- xvii) The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge

- should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits (17 Nos) /storage tanks shall be provided for ground water recharging as per the CGWB norms.
- xviii) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xix) All recharge should be limited to shallow aquifer.
- xx) No ground water shall be used during construction phase of the project. Only treated sewage/wastewater shall be used. A proper record in this regard should be maintained and available at site.
- xxi) Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xxii) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- xxiii) Sewage shall be treated in the STP with tertiary treatment. STP shall be installed in phased manner viz a viz in module system designed in a such a way so as to efficiently treat the waste water with increase in its quantity due to rise in occupancy. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
- xxiv) No sewage or untreated effluent water would be discharged through storm water drains. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other enduses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xxv) Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xxvi) Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

# IV. Noise monitoring and prevention

- i) Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB.
- ii) Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of sixmonthly compliance report.
- iii) Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

# V. Energy Conservation measures

- i) Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii) Outdoor and common area lighting shall be LED.
- iii) Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased. day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv) Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v) Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1 % of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi) Solar power by utilizing at least 30% of the roof top area shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

# VI. Waste Management

i) A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.

- ii) Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii) Chute system, Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv) Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed for treatment and disposal of the waste.
- v) All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi) Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii) Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii) Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- ix) Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
- x) Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

## VII. Green Cover

- i) No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- ii) At least single line plantation all around the boundary of the project as proposed shall be provided. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety. A minimum of one tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover

- are desirable. Water intensive and/or invasive species should not be used for landscaping. The plantation should be provided as per SEIAA guidelines.
- Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1: 10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iv) Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
- v) The project proponent shall not use any chemical fertilizer /pesticides /insecticides and shall use only Herbal pesticides/insecticides and organic manure in the green area.
- vi) The green belt along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use.

# VIII. Transport

- i) A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
  - a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - b) Traffic calming measures.
  - c) Proper design of entry and exit points.
  - d) Parking norms as per local regulation.
- ii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- iii) A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

iv) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.

# IX. Human health issues

- i) All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii) For indoor air quality the ventilation provisions as per National Building Code of India.
- iii) Emergency preparedness plan based on the Hazard identification and Risk Assessment (HJRA) and Disaster Management Plan shall be implemented.
- iv) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v) Occupational health surveillance of the workers shall be done on a regular basis.
- vi) A First Aid Room shall be provided in the project both during construction and operations of the project.

# X. Corporate Environment Responsibility

i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending atleast minimum amount of Rs. 134 Lacs towards following CER activities:

Sr.	Activities	Timeline for	Amount
No.		completion	reserved in
			Lacs
1.	Adoption of school by providing its library,	Jan. 2020 -	40
	computer, furniture and girls toilets as well	Feb. 2021	
	as repair of complete building as per the		
	requirement		
2.	Modification and repair of Cremation ground.	Mar 2021 –	24
		Jan. 2022	
3.	Installation of rain water harvesting system	Feb. 2022 –	70
	and water cooler in local government	Mar 2024	
	hospital.		
	Total		134

However, CER activities shall strictly be in accordance with the activities listed out in the OM dated 01.05.2018 and as per the following proposal submitted by the project proponent. The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

- ii) The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of sixmonthly report.
- iii) A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 525 Lacs towards capital cost and Rs 4.85 Lacs/annum towards recurring cost in Construction phase of the project and shall spend minimum amount of Rs 11 Lacs/annum towards recurring cost in operation phase of the project. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab.Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

# XI. Validity

i) This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier.

## XII. Miscellaneous

i) The project proponent before allowing any occupancy shall obtain completion and occupancy certificate from the Competent Authority and submit a copy of the same to the SEIAA, Punjab.

- The project proponent shall comply with the condition of CLU obtained vide letter no 2460/STP(J)/CLU(J) dated 04/10/2017
- iii) The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- iv) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- v) The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- vi) The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vii) The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- viii) The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- ix) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- x) The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- xi) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xii) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xiii) The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

- xiv) The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer
   (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- xvi) The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xvii) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Sd-Member Secretary

Endst. No.829-837 Registered Date: 22/08/2019

A copy of the above is forwarded to the following for information & further necessary action please.

- 1. The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
- 2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-office Complex, East Arjun Nagar, New Delhi.
- 3. The Chairman, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala.
- 4. The Chairman, Punjab State Power Corporation Ltd, the Mall, Patiala.
- 5. The Deputy Commissioner, Patiala.
- 6. The Additional Principal Conservator of Forests (C), Ministry of Environment, Forests & Climate Change, Northern Regional Office, Bays No. 24-25, Sector- 31-A, Chandigarh.
- 7. The Chief Town Planner, Department of Town & Country Planning, 6th Floor, PUDA Bhawan, Phase-8, Mohali.

The Joint Director, Ministry of Environment and Forest, Northern Regional Office, 8. Bays No.24-25, Sector-31-A, Chandigarh. The detail of the authorized Officer of the project proponent is as under:

a) Name of the applicant : Sh. Joginder Singh, Partner

b) Phone Number : 98144-70000

c) Email Id triworld.17@gmail.com

Monitoring Cell, Ministry of Environment, Forests & Climate Change, Indira 9. Paryavaran Bhavan, Jorbagh Road, New Delhi - 110003.

> Sd-**Member Secretary**

# PHOTOGRAPHS OF THE PROJECT







# Photograph showing green area









Photograph showing DG set provided

Photograph showing fire-extinguisher



From

# DEPTT. OF TOWN AND COUNTRY PLANNING PUNJAB

Senior Town Planner,

Jalandhar.

To

M/S Triworld Developers C/o Sh. Joginder Singh s/o Sh. Gurcharan Singh R/O H.No. 95, Adarsh Nagar, Jalandhar.

Memo No. 2462 Dated: 4/10/17

STP(J)/ CLU(3)

Subject:

CLU for Residential Colony at Village Qadianwali (H.B.No. 292) Tehsil & District Jalandhar. (Area 10.61 Acre after deducting the area of road widening).

Ref:

Your Application dated 29.09.2017.

Your request for change of land use for an area measuring 10.68 Acre for Residential purpose at Village Qadianwali (H.B.No. 292) Teh. & District Jalandhar for setting up of Residential Colony has been considered. Permission to use the said 10.61 Acre land for Residential purpose is hereby granted on the following terms and conditions. The detail of land as verified the Tehsildar, Jalandhar-I is given as under:

'A'

Khewat No.	Khatoni no.	Mustil No.	Khasra No.		per abandi	As per Scheme
		·		K-	abandi M	K - M
118	153	21	18	08	00	08 00
118	153	21	13/2/2	02	09	02 08
118	153	21	22	07	11	07 11
118	153	21	23/1	01	00	01 00
118	153	24	2/1	01	11	
118	153	24	3/1	00	05	01 11 OCT 2017.
118	153	21	21	06	14	06 14
118	153	21	28	01	02	01 02
118	153	22	25	05	15	05 15
118	153	23	5/1	01	11	OI II
118	153	24	1/1	01	11	01 RHOTO COSY ATTESTE
127	164	21 ·	29	01	02	00 11
180	229	20	20/2/2	05	19	05 18 07 Py Jolandiur (19)
180	229	21	15/2/2	00.	02	00 02/ Ph. 2225321
180	229	21	16/2	07	12	07 11/
182	231	20	19/2/2	03	04	03 03
182	231	20	21/1	06	04	06 04
182	231	20	22/1	00	17	00 AT A
182	. 231	25	1/1	00	12	PO DIZT A R
181	230	21	17/2	00	13	1000 13
181	230	21	24/1	01	16	01,30 16
177	226	24	6/2	00	06	05 02
178	227	24	5/1	0.5	14	(possession at SINGH)
183	232	21	25 .	07	03	21/25) ADVOCATO
119	154	21	23/2	07	00	104 1010 Disc. 1
119	157	21	17/1	07	07	07 07 2234
122	158	21	14/1	02	07	1 0+ 02
		21	24/2	06	04	03 02
			,	Tot	al	01 03 03 02 85 007

- 2. The issue of ownership of the land is independent and exclusive of permission of change of land use. Therefore, this permission of C.L.U does not in any manner grant or effect ownership right of this land, which have to be determined by the competent authority. The promoter in whose hand this change of land use lies shall be bound by the decision of such competent authority
- The promoter shall develop the site as a single unit after taking licence under PAPRA (Ammendment-2006) from the Competent Authority and shall not bifurcate the site.
- 4. Promoter shall be responsible for litigation if any, regarding land owner ship in any court of law.
- Promoter shall have to get layout plan/zoning plan/building plan approved from Competent Authority.
- 6. Promoter shall not undertake development works/construction until Layout plan/building plan is approved by the prescribed authority.
- 7. Through Revenue Rastas and Pucca Road passing through the site shall be kept un obstructed.
- Promoter shall obtain NOC from PPCB under the Water (Prevention and control of pollution) Act, 1974. Municipal Solid Waste Management and Handling Rules 2008 or any other relevant Act before undertaking any development at site.
- 9. Promoter shall obtain completion certificate from competent authority and submit the same to concerned competent authority.
- 10. Promoter shall ensure minimum distance from nearby residential area if any as prescribed by PPCB, Department of environment, Govt. of India, Ministry of Commerce and Industry, Petroleum and Explosive Safety Organisation (PESO) (Formerly Department of Explosives), or other authority in this regard and as per notification dated 25.708 of the department of Science and Technology and Environment, Punjab.
- 11. Promoter shall not make any construction under L.T./H.T. transmission Electric Lines if, passing through the colony or shall get these lines shifted by applying to the concerned Authority.
- 12. This permission shall not provide any immunity from any other Act/Rules/Regulation applicable to the land in question.
- 13. Promoter shall obtain permission for approach through the Forest Land from the remaining India under Forest Act, 1980 and also regarding Section 18 before under thing development at the site.

  NOTAR 191-2225321
- 14. This permission can be withdrawn at any time in case of any type of litigation /violation.



- 15. Promoter shall make provision for the disposal of rain/ storm water and shall not obstruct the flow of rain/storm water of the surrounding area.
- 16. The promoter shall make provisions for solar system and plantation in the premises as per building byelaws or instructions from the govt. issued from time to time.
- 17. Regarding point "A" of the above order, ownership/ revenue record of the site is as per verified from the revenue department.
- 18. The promoter shall make provisions for rain water harvesting and plantation in the premises as per building bye-laws or instructions from the govt. issued from time to time.
- Promoter shall obtain any other permission required under any other act at his level.
- The Promoter shall ensure that Residential Colony has been set-up in the same khasra numbers for which site the CLU has been granted and construction is as per sanctioned building plan and get the completion certificate from the Competent Authority.
- 21 Since the site falls on Jalandhar-Partappura Road which is 88'-0" wide road as per the proposal of Master Plan, Jalandhar. Applicant shall leave required strip of 6'-0" wide from his own land to widen the existing road to 88'-0" to 100'-0" as per Self Declaration given by him in the Office of District Town Planner, Jalandhar without claiming any compensation.
- Developer should mention the treatment and disposal arrangement of sewerage and waste water. All the expences for disposal and treatment plant are to be incurred by the developer and Authority is not responsible for providing all the services.
- As per Memo No. PUDA/CA/2013/1713-16 dated 27.02.2013 Restrictions in the area are imposed on construction and installation of any new structure for extraction of ground water resources without prior specific approval of the Authorized Officer (Deputy Commissioner) of the District and subject to the guidelines/ safeguards envisaged from time to time in this connection by Authority for ground water extraction and rain water harvesting/ recharge etc.
- 24 Promoter shall develop the site as per the proposal of Master plan, Jalandhar.
- 25 Applicant shall comply with the provisions of Punjab ECBC-2016 and amended from time to
- Permission granted under the chapter shall remain in force in accordance with the terms and conditions of such permission. In case there is any change in Master Plan of the area for which permission has been granted, the permission so granted, if not availed shall large after a period of two years from the date of notification of such change in the Master Plan Jalandhar.

The receipt of CLU Charges received is hereby actual dedeed. These Charges are tentative actual charges will be calculated at the time of approval of Lay Out Plan. The details of the charges is as below:

-					1	. H	Interest at
Sr.No.	Charges	Draft No.	Dated	Amount	Charges in famou	''	36. C) .
1	CLU	001536	27.09.2017	39,78,750/-	Senior-Tower	per/Ja	andhar
•					10012	W.	Marienza

BHOID

NOTAR 1 2225321 Senior Town Planner, Jalandhar.

Endst.No.

STP (J)/

Dated:

Copy is forwarded to the following for information and necessary action:-

- The Chief Administrator JDA, Jalandhar with the request that EDC, LF./P.F. Charges shall be recovered at your own level.
- The Chief Administrator Punjab, Urban Development Authority Mohali towards SIF Charges amounting Rs.1,98,950/- deposited by applicant on dated 27.09.2017 in on-line account No. 35627447992 (UTR No. AXSK172700011048 Axis Bank).
- 3 Chief Town Planner, Punjab, Chandigarh.
- 4 Chairman, Punjab Pollution Control Board, Patiala.
- 5 Chief Conservator of Forests, Punjab, Chandigarh.
- 6 District Town Planner, Jalandhar w.r. to their letter No. 1854 DTP(J)/CLU-1(J) dt. 25.09.2017.

DA/ As above

Senior Town Planner, Jalandhar.




PHOTO CUEL ATTESTED

NOTARY Aleadhar (Ebs) 1801

- 9 OCT 2017.

(Provincial)

 $\underset{\text{Serial No. }\mathbf{Z}}{297674}$ 

by Cheque on account of whomed by cheque on account of whomed acco

Designation Planner,

Jalandhar



NOTARY

9 OCT 201/

50

10

þ

te 10 n 35 a

in ρn

Jl٤ al th pil



# SPACELINK ENGINEERS PVT. LTD. STRUCTURAL ENGINEERS

Spl.: Flat Slab, Post Tension Buildings, Commercial Hotels, Multistorey Housing, Industrial Building

Rer No. \$40-00176

Date: 06-01-2021

# Structural Stability Certificate

It is Certified that the proposed site at plot No. 1-4, Royal Residency, 66 feet Road, Village Qadian Wali Jalandhar, Project Name Royal Residency, has been structurally design in accordance with the latest edition of National building code of India and prevailing relevant codes of Bureau of Indian standards for structural stability and to withstand the earthquake impact of Zone - IV.

Further I certify that the structure is considered safe for the purpose, it has been designed for.

Ramosner Linen.

Er.R.K.Singh M. Tech (Structure) Read, No.M-084(IASE)

Jarandhar	Development Authority
No.54	3 D-18d: 15-11-17
C.A.	
A.C.A.	
E.O.	The same of the sa
S.E.	17-9-PS
D.E (R)	
Sr. A.O.	0/0-CH
RIO.	

Punjalo State Power Corporation Limited

Fax: 0175-2210320, E-Mail: ce-commercial@pspcl.in

To

The Jalandhar Development Authroity (JDA), SCO 41, PUDA Complex, Ladowali Road, Jalandhar.

Sub: ਪਾਪਰਾ ਐਕਟ, 1995 ਅਤੇ ਪਾਪਰਾ (ਅਮੈਂਡਮੈਂਟ) ਐਕਟ, 2014 ਤਹਿਤ 10.61 ਏਕੜ ਰਕਬੇ ਵਿੱਚ "Royal Residency" ਪਿੰਡ ਕਾਦਿਆਂਵਾਲੀ (ਹ.ਬ.ਨੰ.292), ਤਹਿਸੀਲ ਤੇ ਜਿਲ੍ਹਾ ਜਲੰਧਰ ਨਾਂ ਦੀ ਤਜਵੀਜਤ ਕਲੋਨੀ ਦਾ ਲਾਇਸੰਸ ਜਾਰੀ ਕਰਨ ਬਾਰੇ।

Vide your office letter no. ਸੀਏ-ਜੇਡੀਏ-2017/8348 dated 17.10.2017, project report for setting up 10.61 Acres residential project namely Royal Residency at Village Qadianwali, Tehsil & Dist. Jalandhar by M/s Triworld Developers has been received with the request to submit comments/ view points of PSPCL.

The case under consideration being a residential project, as such, following check list of points may also be considered/ kept in view while processing the case for issuance of license under PAPRA Act 1995:-

- 1. Application of the Promoter containing electrical layout plan, load sheet and affidavit as per requirement may be submitted to PSPCL, for provisional report/Comments, if required.
- 2. After the LOI/ Licence/ layout plan (drawing) is issued/ approved, the proposed electrical system drawn out as per approved layout plan should be submitted to CE/Commercial, PSPCL Patiala alongwith Load Sheet giving details of the proposed electrical load, as per PSPCL norms / instructions for issue of Final NOC of PSPCL.
- 3. All the constructions work i.e. erection / installation of HT & LT lines/ Transformers to be under taken by the Promoter would be strictly according to the standard technical norms of PSPCL and under Indian Electricity Rules 1956 (amended to date) and as per approved electrical layout plan of Final NOC to be issued by PSPCL.
- 4. The existing HT / LT lines which are required to be shifted / realigned from the proposed land would be at the expenses of Promoter as per relevant / prevalent Commercial norms of the PSPCL.
- 5. The relevant Indian Electricity Rules / Standards do permit road crossings at an angle (right angle desirable) but there is no provision for establishing a new road below an EHT line. At the initial stage of planning a new colony / township such complications should be avoided by all means. No construction shall be made under the EHT/LT lines, only a corridor (no construction zone) shall be left below the

EHT/LT lines and that appropriate clearances from the existing lines shall be maintained as per Indian Electricity Rules 1956 (amended to date).

- 6. If the existing feeder of PSPCL can not take up the proposed load and requires augmentation, the cost for the same shall have to be deposited by the promoter as per Supply Code 2014. Also, if a new feeder is necessitated for feeding load of the Supply Code 2014.
- 7. If at any stage, the proposed/connected load of the colony exceeds 4000 KVA, the supply to the colony can be given at 66 KV supply voltage and cost of 66 KV Sub-Station/ Line alongwith allied equipements shall be borne by the promoter & land for 66 KV Sub-Station shall also he provided free of cost by the promoter as per Supply Code 2014.
- 8. If at any stage, the Government / Promoter revises the layout plan of the colony due to extension of the colony, the promoter shall be liable to take the revised NOC besides payment of other penalties / levies as per norms of PSPCL.
- 9. The load shall be released as per rules, seniority and as per policy / regulations at the time of release of load.
- 10. A cost estimate is required to be made to estimate / workout the cost that shall have to be incurred / borne by PSPCL, if this entire work of development of the electrical LD system in / for the proposed colony (including arrangements for single point supply etc.) is to be done by PSPCL. This estimation of costs be done at the presently prevailing rates and may be subjected to a condition that the rates as applicable at the time of execution shall be applicable. While issuing Final NOC, the CE / Commercial, PSPCL, Patiala shall intimate this cost estimate to the Promoter / PUDA, in order that PUDA makes an arrangement for securing amounts to this extent, so that in case the Promoter fails to develop the colony as per conditions laid in the licence and PUDA / PSPCL is required to develop the Electrical system in / for the residential colony, no problem should be faced in arranging the funds for getting the electrification done immediately. The funds so required for the execution shall be placed at the disposal of PSPCL within 15 days of the default of the Promoter having been notified / intimated to PUDA. This is being stipulated so that the residents / owners of the plots, the prospective consumers (customers) ci PSPCL, are not denied electric connections by PSPCL at a later stage for want of timely electrification of the residential colony by the Promoter especially because under the statute the legal responsibility of release of connections lies with PSPCL.
- 11. While deciding the amount of 25% Bank Guarantee to be obtained by PUDA from the Developer, the realistic value of estimates for electrical works be included after authenticated by PSPCL and Promoter / Developer may be asked to submit Bank Guarantee with PSPCL.
- 12. Where Developers have electrical works incomplete, then PSPCL must be paid / compensated with the cost of incomplete work, so that the same are completed departmentally by PSPCL.

Dy.CE/ Regulation, for Chief Engineer / Commercial, PSPCL, Patiala.

# MUNICIPAL CORPORATION, JALANDHAR

From

Superintending Engineer (O&M) Municipal Corporation, Jalandhar

To

M/s Triworld Developers, Through S. Joginder Singh, Qadianwali, 66 Footi Road, Jalandhar

Memo No. 1021/SE/OTM

Dated 10 -01-2018

Sub: Issuance of NOC regarding disposal of sewage treated water into main Municipal Corporation sewer, NOC regarding disposal of solid waste to main Municipal Corporation Solid waste collection centre of Residential colony to be developed in Village Qadianwali, 66 Footi Road, Jalandhar.

Reference your application for issuance of N.O.C. regarding disposal of sewage treated water. N.O.C. is hereby granted to the firm with the following terms and conditions:

- (1) The firm is allowed to dispose the sewage treated water into Municipal Corporation sewer at 66 Footi Road through any source which will be treated in the Sewerage Treatment Plant installed by the Municipal Corporation, Jalandhar at Pholriwal.
- (2) The firm shall provide the sewerage facilities to the residential colony at its own cost rafter getting NOC/Approval from Municipal Corporation, J.D.A., Jalandhar, P.W.D. (B&R) and Forest Department.
- (3) The Promoter will develop the Residential Colony by laying Water Supply & Sewerage System, Rain Water Re-charging System, Storm Water Re-charging System and Electrification System as per the norms and specifications of Municipal Corporation, J.D.A. Jalandhar, P.W.D. (B&R) and PWSSB. Any violation in this regard shall be serious viewed.
- (4) The firm shall make the payment of Sewerage Disposal Charges @ Rs. 3.80 Per Kilo Litre on the domestic basis.
- (5) The firm shall intimate in writing to the Municipal Corporation before disposing off the sewage treated water so that actual Demand Notice may be issued after proper calculations.
- (6) The Promoter will only discharge sewage treated water into Municipal Sewer and no storm water will be allowed to be discharged in the Municipal Sewer.
- (7) If the rates of Sewerage Disposal Charges are revised in near future then the firm shall make the payment as per the new Notification issued by the Local Govt. at that time.
- (8) The firm is not allowed to dispose off the sewage water on the open dumps. The firm shall be held responsible for any such type of negligency.

- (9) The firm undertakes to pay One Time Lumpsum Sharing Charges whenever sewerage infrastructure will be provided by Municipal Corporation, Jalandhar in this area.
- (10) The firm shall make its own arrangement for door to door collection of garbage and transportation to the nearest dumping site of Municipal Corporation and Municipal Corporation will lift the garbage from the collection centre.
- (11) The firm shall abide by the Municipal solid waste (Management and Handling) Rules, 2000. Any Violation of the provision of the Municipal Solid waste (Management and Handling) Rules, 2000 shall be seriously viewed.
- (12) The firm shall install its own Sewerage Treatment Plant with new technology as per the guidelines of PCCB and arrangement of Water Supply at its own cost and the firm shall also install Storm Water Re-charging System in the premises of Residential Project.
- (13) The firm shall install Rain Water Harvesting System with new technology and Discharge Meter on the tubewell at its own cost as per the guidelines of Hon'ble Punjab & Haryana High Court and the directions of Govt. of Punjab and the firm shall utilise only the sewage treated water or surface water sources for construction purposes.

Superintending Engineer (O&M)

Municipal Corporation

Jalandhar



# PUNJAB POLLUTION CONTROL BOARD ZONAL OFFICE JALANDHAR.

Website:- www.ppcb.gov.in

Office Dispatch No:

Registered/Speed Post

Date:

**Industry Registration ID:** 

O18JAL62316

**Application No:** 

13270898

To,

**Joginder Singh** 

H.no.76 Choti Baradari Part-1 Jalandhar

Jalandhar, Punjab-144020

Subject:

Grant of "Consent to Establish" (NOC) for Modernization of an industrial unit u/s 25 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981.

With reference to your application for obtaining 'Consent to Establish' (NOC) for modernization of an industrial plant u/s 25 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are, hereby, permitted to modernize the industrial unit to discharge the effluent(s) & emission(s) arising out of your premises subject to the Terms and Conditions as specified in this Certificate.

# 1. Particulars of Consent to Establish (NOC) for modernization granted to the Industry

Certificate No.	ornalise is the home the second of the	mandres parties in the persons second	CTE/Mod/JAL/2021/13270898
Date of issue :		THE PARTY OF	05/03/2021
Date of expiry:	A CONTRACTOR OF THE PARTY OF TH	AND THE PERSON NAMED IN	04/03/2022
Certificate Type:			Modernization
Previous CTE/CTO No. & Validity:			CTE/Fresh/JAL/2018/7495138 From:24/05/2018 To:23/05/2019

## 2. Particulars of the Industry

Name & Designation of the Applicant	Joginder Singh, (Partnership)
Address of Industrial premises	M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar
	, Jalandhar I,Jalandhar-144020
Existing Capital investment of the industry	6733.0 lakhs
Capital investment of the industry  Capital investment for Modernization Project	6733.00 lakhs
	Orange
Category of Industry  Type of Industry	2021-Building and construction project more than 20,000 sq. m built up area and having waste water generation less than 100 KLD
	Small
Scale of the Industry	Jalandhar
Office District Consent Fee Details	Rs. 84000/- R/No 35/5088 dated 19.02.2020 as NOC fee which is adequate for one year

Raw Materials (Name with quantity per day)	Items/ Material for establishment of Ground Housing Project in land area measuring 10.68 acres and proposed built up area measur 83,340.99 sq.mtr.		
Products (Name with quantity per day)	Group Housing Project with 65 no. structures containing stilt parking, 4 no. independent floors each, 1 no. school and 10 no. shops.		
By-Products, if any,(Name with quantity per day)	Nil		
Details of the machinery and processes	As per application.		
Details of the Effluent Treatment Plant	STP of capacity 125 KLD for Domestic Effluent.		
Mode of Disposal of Effluent	Re-use for fleshing purpose & onto land for plantation through STP.		
Standards to be achieved under Water (Prevention & Control of Pollution) Act, 1974	As prescribed by the Board.		
Sources of emissions and type of pollutants	SPM from DG set		
Mode of disposal of emissions with stack height	Stack of adequate height.		
Quantity of fuel required in TPD	Diesel for DG set of capacity 350 KVA.		
Type of Air Pollution Control Devices to be installed	N.R. (canopy with DG set)		
Standars to be achieved under Air (Prevention & Control of Pollution) Act, 1981	As prescribed by the Board.		



05/03/2021

(Arun Kakkar) Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Dated:

# Endst. No.:

A copy of the above is forwarded to the following for information and necessary action please: Environmental Engineer, Regional office, Jalandhar.

05/03/2021

(Arun Kakkar) Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



#### A. **GENERAL CONDITIONS**

- The industry shall apply for consent of the Board as required under the provision of Water (Prevention & 1. Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 & Authorization under Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016, two months before the commissioning of the industry.
- 2. The industry shall provide adequate arrangements for fighting the accidental leakages/ discharge of any air pollutant/gas/liquids from the vessels, mechanical equipments etc. which are likely to cause environmental
- The Industry shall apply for further extension in the validity of the CTE atleast two months before the 3. expiry of this CTE, if applicable.
- 4. The industry shall comply with any other conditions laid down or directions issued by the Board under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act,1981 from time to time.
- 5. The project has been approved by the Board from pollution angle and the industry shall obtain the approval of site from other concerned departments, if need be.
- The industry shall get its building plans approved under the provisions of section 3-A of Punjab Factory 6.
- 7. The industry shall put up display board indicating the Environment data in the prescribed format at the main
- The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for 8. collecting samples of emissions from any chimney, flue or duct or any other outlets.

# Specifications of the port-holes shall be as under:-

The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times i) upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-

$$De = 2 LW / (L+W)$$

Where L= length in mts. W= Width in mts.

- ii) The sampling port shall be 7 to 10 cm in diameter
- The industry shall discharge all gases through a stack of minimum height as specified in the following 9. standards laid down by the Board.

# (i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights
1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters
5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula H = 14 Qg0.3or H = 74 (Qp)0.24 Where Qg = Quantity of SO2 in Kg/hr. Qp = Quantity of particulate matter in Ton/day.

Note: Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

- (ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.
- (iii) Stack height for diesel generating sets:

Height of the Stack				
_				
	Height of the building -dodododododo-	-do- + 2.0 mt. -do- + 2.5 mt. -do- + 3.0 mt. -do- + 3.5 mt.		

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

H = h + 0.2 (KVA)0.5

where h = height of the building in meters where the generator set is installed.

- 10. The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dated 8/6/2010.
- 11. The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dated 8/6/2010.
  - (i) Once in Year for Small Scale Industries.
  - (ii) Four in a Year for Large/Medium Scale Industries.
  - (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
- 12. The industry shall provide flow meters at the source of water supply, at the outlet of effluent treatment plant and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th day of the following month.
- 13. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-
  - (i) Once in Year for Small Scale Industries.
  - (ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.
- 14. The pollution control devices shall be interlocked with the manufacturing process of the industry.
- 15. The Board reserves the right to revoke this "consent to establish" (NOC) at any time, in case the industry is found violating any of the conditions of this "consent to establish" and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
- 16. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per acre along the boundary of the industrial premises.
- 17. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
- 18. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
- 19. Nothing in this NOC shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
- 20. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.
  - (i) Where unavoidable to prevent loss of life or some property damage or
  - (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
- 21. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.

- 22. The industry shall comply with the conditions imposed if any by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
- 23. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
- 24. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
- 25. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.
- 26. The industry shall provide proper and adequate air pollution control arrangements for control emission from its coal/fuel handling area, if applicable.
- 27. The Industry shall comply with the code of practice as notified by the Government / Board for the type of Industries where the siting guidelines / code of practice have been notified
- 28. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner so as to prevent any pollutants from such materials from entering into natural water.
- 29. The industry shall submit a detailed plan showing therein, the distribution system for conveying waste-waters for application on land for irrigation along with the crop pattern to be adopted throughout the year.
- 30. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
- 31. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the NOC and shall not carry out any expansion without the prior permission/NOC of the Board.
- 32. All amendments/revisions made by the Board in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
- 33. The industry shall not cause any nuisance/traffic hazard in vicinity of the area.
- 34. The industry shall maintain the following record to the satisfaction of the Board:
  - (i) Log books for running of air pollution control devices or pumps/motors used for it.
  - (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.
  - (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
- 35. The industry shall ensure that there will not be significant visible dust emissions beyond the property line.
- 36. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, if applicable.
- 37. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry

05/03/2021

(Arun Kakkar) Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

#### B. SPECIAL CONDITIONS

(1) The project proponent shall obtain permission from the CGWA for the abstraction of groundwater. (2). The project proponent shall ensure segregation of solid waste at source, facilitate collection of segregated waste in separate streams, handover recyclable material to either the authorized waste pickers or the authorized recyclers as prescribed in Solid Waste Management Rules, 2016. The bio-degradable waste shall be processed, treated and disposed of through compositing or bio-methanation within the premises as far as possible. The residual waste shall be given to the waste collectors or agency as directed by the local

(3) The project proponent shall utilize rain water only from roof top to recharge ground water through rain water harvesting pits.


(4) The project proponent shall comply with the provisions of the Construction and Demolition Management Rules, 2016.

(5) The project proponent shall carry out the construction work of STP at the site, in commensurate with the construction work of the project and shall not allow any occupancy in the colony, till the time STP is installed and commissioned at the site.

(6) The project proponent shall discharge excess treated waste water left after recycling onto land for plantation by developing adjoining land of 1.37 acres as per Karnal technology with proper pipeline network till the STPs of Municipal Corporation, Jalandhar at Pholriwal are adequate to take hydraulic load of entire effluent coming from town as well as project permitted to discharge effluent into these STPs.

(7) The project proponent shall comply with the conditions of Environmental Clearance granted under EIA notification dated 14.09.2006 for establishment of a Group Housing Project issued vide no.

DECC/SEIAA/2019/828 dated 22.08.2019.





# PUNJAB POLLUTION CONTROL BOARD

Vatavaran Bhawan, Nabha Road, Patiala Website:- www.ppcb.punjab.gov.in

## AUTO GENERATED RENEWAL CERTIFICATE

Under the provisions of Air (Prevention & Control of Pollution) Act, 1981

**Office Dispatch No:** OCMMS/CTO(Air)/2024/007416 **Date:** 06/11/2024

**Industry Registration ID:** 018JAL62316 Application No: 26604558

To, Joginder Singh,

Partnership,

M/s M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar,

Jalandhar Ii, Punjab, 144020

Subject: Auto Generation of Renewal Certificate for Consent to Operate granted under the Air (Prevention

& Control of Pollution) Act, 1981

With reference to your application for renewal of Consent to Operate for operation of an industrial unit Air (Prevention & Control of Pollution) Act, 1981, the self-declaration uploaded by Joginder Singh, (Partnership), is hereby, acknowledged and Auto Generated Renewal Certificate is granted as per the contents of self-declaration.

#### 1. Particulars of Auto Generated Renewal Certificate.

Certificate No.:	CTO/Renewal/JAL2/2024/26604558
Date of issue:	2024-11-06
Date of expiry:	2025-11-06
Certificate Type:	Renewal (Auto Generated)
Previous CTE/CTO/Authorization No. &	Pervious consent No: Date Of Issue: Date Of Expiry:
Validity:	21513847 2023-05-19 00:00:00.0 2024-03-31 00:00:00.0

# 2. Particulars provided by the industry

Name & Designation of the Occupier:	Joginder Singh, (Partnership)					
Address of Industrial premises:	66 FEET	66 FEET ROAD VILLAGE KADIAWALI JALANDHAR				
<b>Existing Capital investment / Project Cost of the industry</b>	206.5 (lakhs)					
Category of Industry	ORANGE	Ξ				
Type of Industry	2021-Building and construction project more than 20,000 sq. m built up area and having waste water generation less than 100 KLD					
Scale of the Industry	Small					
Office District	Jalandhar	Ii				
CTE/CTO/Authorization applied for	1 years					
Fee Details	Payment Mode	Amou	nt	Transaction ID	Date of Transaction	Date of verification
	NEFT	84000	.00	AXSK24303 0026515	2024-10-29 00:00:00.0	2024-11-04 15:07:12.643

This Auto Generated Renewal Certificate is hereby issued subject to the condition that in case, if any anomaly after Auto renewal is observed, that the entrepreneurs has submitted any false/incorrect/incomplete/forged facts and documents, the PPCB shall initiate appropriate action for violation under the Environmental Laws/ Rules against the industry.

Annexure-A

#### **Self Declaration**

#### Auto renewal of consent to operate

I JOGINDER SINGH S/o Shri Gurucharan Singh Aged 56 Years, Authorized Signatory PARTNERSHIP (designation) of M/s M/S ROYAL RESIDENCY (TRIWORLD DEVELOPERS) (OCMMS ID 018JAL62316) submitting this self declaration in favor of Member Secretary, Punjab Pollution Control Board for obtaining auto renewal of consent to establish / consent to operate under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981/ Authorization under HWM Rules, 2016/ BMW Rules, 2016 (for health care facilities upto 50 beds) which is stated as under:

- 1. That the consent to establish / consent to operate under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981/ Authorization under HWM Rules, 2016/ BMW Rules, 2016 (for health care facilities upto 50 beds) was issued vide no. CTOA/Fresh/JAL2/2023/21513847 Dated 2023-05-19 and the same is valid upto 2024-03-31
- 2. That we have not carried out any expansion / modernization / change in process/ product/ Raw material/ fuel / change in bed capacity that either changes our category (from green to orange or orange to red or so on) or our scale (from small to medium or large). Detail of changes made if any and how extra pollutant shall be treated are given in box below\*
- 3. That we are complying with conditions of previous consent/ authorization.
- 4. There is no change in information provided in the prescribed application form submitted for obtaining earlier consent to establish/operate /authorization.
- 5. That I have not violated any of the provisions under the Water (Prevention & Control of Pollution) Act, 1974 or Air (Prevention & Control of Pollution) Act, 1981 or Environment (Protection) Act, 1986.
- 6. That no prohibitory directions are issued from Courts/ Appellate Authority/ National Green Tribunal/ other Judicial authority.
- I acknowledge that any wrong / partial / forged information /document submitted by me or any false affirmation made by the undersigned, I shall be liable for action as deemed fit by the Board under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981/ HWM Rules, 2016/ BMW Rules, 2016.
- 8. In case of brick kiln , the brick kiln shall replace at least 20% of its fuel from coal to paddy straw pellets, as per the directive given by the State Government u/s 5 of EPA 1986 vide Notification No 10/574/2022-STE1/443 dated 04.11.2022 and shall maintain records of the same for monitoring and inspection by the Board.

\*Details of changes if any alongwith proposed mechanism of treating extra pollutant (fill if applicable as per point 2)

Applicant JOGINDER SINGH

Date: 06/11/2024



# PUNJAB POLLUTION CONTROL BOARD

Vatavaran Bhawan, Nabha Road, Patiala Website:- www.ppcb.punjab.gov.in

## AUTO GENERATED RENEWAL CERTIFICATE

Under the provisions of Water (Prevention & Control of Pollution) Act, 1974

Office Dispatch No: OCMMS/CTO(Water)/2024/007415 Date: 06/11/2024

**Industry Registration ID:** 018JAL62316 **Application No:** 26604568

To, Joginder Singh,

Partnership,

M/s M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar,

Jalandhar Ii, Punjab, 144020

Subject: Auto Generation of Renewal Certificate for Consent to Operate granted under the Water

(Prevention & Control of Pollution) Act, 1974

With reference to your application for renewal of Consent to Operate for operation of an industrial unit u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, the self-declaration uploaded by Joginder Singh, (Partnership), is hereby, acknowledged and Auto Generated Renewal Certificate is granted as per the contents of self-declaration.

## 1. Particulars of Auto Generated Renewal Certificate.

Certificate No.:	CTO/Renewal/JAL2/2024/26604568	
Date of issue:	2024-11-06	
Date of expiry:	2025-11-06	
Certificate Type:	Renewal (Auto Generated)	
Previous CTE/CTO/Authorization No. &	Pervious consent No: Date Of Issue:	Date Of Expiry:
Validity:	21513972 2023-05-19 00:00:00.0	2024-03-31 00:00:00.0

## 2. Particulars provided by the industry

Name & Designation of the Occupier:	Joginder	Singl	n, (Partnershi	p)		
Address of Industrial premises:	66 FEET ROAD VILLAGE KADIAWALI JALANDHAR					
<b>Existing Capital investment / Project Cost of the industry</b>	206.5 (lakhs)					
<b>Category of Industry</b>	ORANGI	Е				
Type of Industry	2021-Building and construction project more than 20,000 sq. m built up area and having waste water generation less than 100 KLD					
Scale of the Industry	Small					
Office District	Jalandhar Ii					
CTE/CTO/Authorization applied for	1 years					
Fee Details	Payment Mode		Amount	Transaction ID	Date of Transaction	Date of verification
	NEFT		84000.00	AXSK24303 0026503	2024-10-29 00:00:00.0	2024-11-04 14:56:58.914

This Auto Generated Renewal Certificate is hereby issued subject to the condition that in case, if any anomaly after Auto renewal is observed, that the entrepreneurs has submitted any false/incorrect/incomplete/forged facts and documents, the PPCB shall initiate appropriate action for violation under the Environmental Laws/ Rules against the industry.

Annexure-A

#### **Self Declaration**

#### Auto renewal of consent to operate

I JOGINDER SINGH S/o Shri Gurucharan Singh Aged 56 Years, Authorized Signatory PARTNERSHIP (designation) of M/s M/S ROYAL RESIDENCY (TRIWORLD DEVELOPERS) (OCMMS ID 018JAL62316) submitting this self declaration in favor of Member Secretary, Punjab Pollution Control Board for obtaining auto renewal of consent to establish / consent to operate under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981/ Authorization under HWM Rules, 2016/ BMW Rules, 2016 (for health care facilities upto 50 beds) which is stated as under:

- 1. That the consent to establish / consent to operate under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981/ Authorization under HWM Rules, 2016/ BMW Rules, 2016 (for health care facilities upto 50 beds) was issued vide no. CTOW/Fresh/JAL2/2023/21513972 Dated 2023-05-19 and the same is valid upto 2024-03-31
- 2. That we have not carried out any expansion / modernization / change in process/ product/ Raw material/ fuel / change in bed capacity that either changes our category (from green to orange or orange to red or so on) or our scale (from small to medium or large). Detail of changes made if any and how extra pollutant shall be treated are given in box below\*
- 3. That we are complying with conditions of previous consent/ authorization.
- 4. There is no change in information provided in the prescribed application form submitted for obtaining earlier consent to establish/operate /authorization.
- 5. That I have not violated any of the provisions under the Water (Prevention & Control of Pollution) Act, 1974 or Air (Prevention & Control of Pollution) Act, 1981 or Environment (Protection) Act, 1986.
- 6. That no prohibitory directions are issued from Courts/ Appellate Authority/ National Green Tribunal/ other Judicial authority.
- I acknowledge that any wrong / partial / forged information /document submitted by me or any false affirmation made by the undersigned, I shall be liable for action as deemed fit by the Board under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981/ HWM Rules, 2016/ BMW Rules, 2016.
- 8. In case of brick kiln , the brick kiln shall replace at least 20% of its fuel from coal to paddy straw pellets, as per the directive given by the State Government u/s 5 of EPA 1986 vide Notification No 10/574/2022-STE1/443 dated 04.11.2022 and shall maintain records of the same for monitoring and inspection by the Board.

\*Details of changes if any alongwith proposed mechanism of treating extra pollutant (fill if applicable as per point 2)

Applicant JOGINDER SINGH

Date: 06/11/2024



# PUNJAB POLLUTION CONTROL BOARD

#### ZONAL OFFICE NEAR PSIEC WATER TANK FOCAL POINT, JALANDHAR.

Website:- www.ppcb.gov.in

Office Dispatch No : 25/0

**Industry Registration ID:** 

Registered/Speed Post

Application I

21513847

To,

Joginder Singh H.no.76 Choti Baradari Part-1 Jalandhar

O18JAL62316

Jalandhar,Punjab-144020

Subject:

Grant of 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.

With reference to your application for obtaining 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

## 1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.		CTOA/Fresh/JAL2/2023/21513847
Date of issue :		19/05/2023
Date of expiry:	And the same of th	31/03/2024
Certificate Type :	Service of Control of the Control of	Fresh

# 2. Particulars of the Industry

	to see the second of the secon
Name & Designation of the Applicant	Joginder Singh, (Partnership)
Address of Industrial premises	M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar , Jalandhar I,Jalandhar Ii-144020
Capital Investment of the Industry	6733.0 lakhs
Category of Industry	Orange
Type of Industry	2021-Building and construction project more than 20,000 sq. m built up area and having waste water generation less than 100 KLD
Scale of the Industry	Small
Office District	Jalandhar Ii
Consent Fee Details	Rs. 72,000/- Vide UTR/Reference No. AXSK230450002646 dated 14.02.2023 under Air Act, 1981
Raw Materials (Name with Quantity per day)	35 number + 4 floor independent plots with stilt parking and 10 no.shops.
Products (Name with Quantity per day)	35 number + 4 floor independent plots with stilt parking and 10 no.shops.
By-products, if any, (Name with Quantity per day)	Nil

"This is computer generated document from OCMMS by PPCB"

M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar ,Jalandhar I,Jalandhar Ii,144020

Pagel

Details of the machinery and process	As per application.
Quantity of fuel required (in TPD) and capacity of boilers/ Furnace/Thermo heater etc.	Diesel for 2 no. DG sets of capacity 500 KVA & 320 KVA
Type of Air Pollution Control Devices to be installed	Canopy with DG sets.
Stack height provided with each boiler/thermo heater/Furnace etc.	3 Meter above roof level with DG sets.
Sources of emissions and type of pollutants	SPM from DG sets.
Standards to be acheived under Air(Prevention & Control of Pollution) Act, 1981	As prescribed by the Board.



19/05/2023

(Ravinder Bhatti) Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please: Environmental Engineer, Regional office-2, Jalandhar.

19/05/2023

(Ravinder Bhatti) Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar Jalandhar I, 144020

## TERMS AND CONDITIONS

# A. GENERAL CONDITIONS

- This consent is not valid for getting power load from the Punjab State Power Corporation Ltd. or for getting loan from the financial institutions.
- 2. The industry shall apply for renewal /extension of consent at least two months before expiry of the consent.
- The industry shall not violate any of the norms prescribed under the Air (Prevention & Control of Pollution)
   Act, 1981, failing which, the consent shall be cancelled / revoked.
- The achievement of adequacy and efficiency of the air pollution control devices installed shall be the entire responsibility of the industry
- 5. The authorized fuel being used shall not be changed without the prior written permission of the Board.
- The industry shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height, as per the norms fixed by the Board from time to time.
- The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

## Specifications of the port-holes shall be as under:-

The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-

De = 2 LW / (L+W)

Where L= length in mts. W= Width in mts.

- ii) The sampling port shall be 7 to 10 cm in diameter
- The industry shall put display Board indicating environmental data in the prescribed format at the main entrance gate.
- The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.

#### (i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights	
1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more	
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters	
3.	More than 5 ton/hr. to 10 ton/hr	15 meters	
4.	More than 10 ton/hr. to 15 ton/hr	18 meters	
5.	More than 15 ton/hr. to 20 ton/hr	21 meters	
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters	
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters	
8.	More than 30 ton/hr.	30 meters or using the formula H = 14 Qg0.3 or H = 74 (Qp)0.24 Where Qg = Quantity of SO2 in Kg/hr.	
		Qp = Quantity of particulate matter in Ton/day.	

Note: Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

- (ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.
- (iii) Stack height for diesel generating sets:

"This is computer generated document from OCMMS by PPCB"

M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar ,Jalandhar I,Jalandhar Ii,144020

Page3

Capacity of diesel generating set	Height of the Stack			
0-50 KVA	Height of the building	+ 1.5 mt		
50-100 KVA	-do-	+ 2.0 mt.		
100-150 KVA	-do-	+ 2.5 mt.		
150-200 KVA	-do-	+ 3.0 mt.		
200-250 KVA	-do-	+ 3.5 mt.		
250-300 KVA	-do-	+ 3.5 mt.		

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

H = h+0.2 (KVA)0.5

where h = height of the building in meters where the generator set is installed.

- 10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensure its regular operation.
- 11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of the Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or reerected except with the prior approval of the Board.
- The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision of notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF under Environment (Protection) Act, 1986.
- 13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/92-3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-

 $i_{\ell}$ //In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall make the necessary arrangement to comply with the above notification.  $i_{\ell}$ //2

- 14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year
- 15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
- 16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emissions standards laid down by the Board from time to time for such type of industry /emissions.
  - b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.

Steam Generating capacity A.	Required particulate matter B.	
Area upto 5 Km from Other than the periphery of I and Class-II town	Other than 'A' class	
Less than 2 ton/hr.	800 mg/NM3	1200 mg/NM3
2 ton to 10 ton/hr.	500 mg/NM3	1000 mg/NM3
Above 10 ton to 15 ton/hr	350 mg/NM3	500 mg/NM3
Above 15 ton/hr	150 mg/NM3	150 mg/NM3

All emissions normalized to 12% carbon dioxide.

- 17. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008, without any adverse effect on the environment, in any manner.
- 18. The air pollution control equipments shall be kept at all time in good running condition and;

"This is computer generated document from OCMMS by PPCB"

M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar ,Jalandhar I,Jalandhar Ii,144020

- All failures of control equipments.
- (ii) The emissions of any air pollutant into the atmosphere in excess of the standards lay down by the Board occurring or being apprehended to occur due to accident or other unforeseen act or event. Shall be intimated through fax to the concerned Regional Office as well as to the Director of Factories, Punjab, Chandigarh as required under rule 10 of the Punjab State Board for the Prevention and Control of Air Pollution Rules, 1983'.
- 19. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
- The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.
- 21. The industry shall comply with the conditions imposed by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
- 22. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-
  - (i) Once in Year for Small Scale Industries.
  - (ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.
- 23. The industry shall maintain the following record to the satisfaction of the Board :-
  - (i) Log books for running of air pollution control devices or pumps/motors used for it.
  - (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.
  - (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
- 24. The industry will install the separate energy meter for running pollution control devices and shall maintain record with respect to operation of air pollution control device so as to the satisfy the Board regarding the regular operation of air pollution control device and monthly reading / record may be sent to the Board by the fifth of the following month.
- 25. The industry shall provide online monitoring system as applicable, for in stack emission and shall maintain the record of the same for inspection of the Board Officers.
- 26. The Board reserves the right to revoke the consent granted to the industry at any time, in case the industry is found violating the provisions of Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
- 27. The industry shall comply with any other conditions laid down or directions issued in due course by the Board under the provisions of the Air (Prevention & Control of Pollution) Act, 1981.
- 28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected to under this or any other Act.
- 29. Any amendments/revisions made by the Board/CPCB/MOEF in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
- 30. The industry shall dispose off its solid waste generated by the burning of fuel in an Environmentally Sound Manner within the premises/outside as approved by the Board, to avoid public nuisance and air pollution problem in the area.
- 31. The industry shall ensure that no air pollution problem or public nuisance is created in the area due to the discharge of emissions from the industry.
- 32. The industry shall provide adequate arrangement for fighting the accidental leakage/discharge of any air pollutant/gas/ liquids from the vessels, mechanical equipment's etc, which are likely to cause environmental pollution.
- 33. The industry shall not change or alter the manufacturing process(es) and fuel so as to change the quality/quantity of emissions generated without the prior permission of the Board.
- 34. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
- The industry shall obtain and submit Insurance cover under the Public Liability Insurance Act, 1991.
- 36. The industry shall provide proper and adequate air pollution control arrangements for control emission from its fuel handling area, if applicable.

- The industry shall comply with the code of practice as notified by the Government/Board for the type of industries where the siting guidelines / Code of Practice have been notified. 37.
- The industry shall not cause any nuisance/traffic hazard in vicinity of the area 38.
- The industry shall ensure that the noise & air emission from D.G. sets do not exceed the standards prescribed for D.G. sets by the Ministry of Environment & Forests, New Delhi. 39.
- The industry shall ensure that there will not be significant visible dust emissions beyond the property line 40.
- The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry. 41.
- The Industry shall ensure that its production capacity does not exceed the capacity mentioned in the consent and shall not carry out any expansion without the prior permission / NOC of the Board. 42.

#### R. SPECIAL CONDITIONS

- 1)The industry shall ensure that hazardous wastes of all categories are collected properly & disposed off to the authorized companies by executing agreements and shall maintain all the records as per provisions of the HWM Rules.
- 2) The industry shall not throw burn or burry any solid wastes in open outside premises or in drain / water bodies.
- 3) The industry shall promote use of alternatives of single use plastics (SUP) and awareness to discourage
- 4) The industry shall ensure that there are no usages of single use plastic- thermocol disposable items such as water bottles / water pouches/water cups, plates, forks, spoons, straw etc. and single use decorating material made of plastic-thermocol or any other non-biodegradable material in the premises.

5) The industry shall properly handle and manage the solid wastages as per the provisions of the Municipal Solid Waste Rules 2016 and ensure that the solid waste is segregated & disposed of in an environmentally

19/05/2023

(Ravinder Bhatti) Environmental Engineer

For & on behalf

(Punjab Pollution Control Board)



#### **PUNJAB POLLUTION CONTROL BOARD**

#### ZONAL OFFICE NEAR PSIEC WATER TANK FOCAL POINT, JALANDHAR.

Website:- www.ppcb.gov.in

Office Dispatch No : 2508

Registered/Speed Post

Date: 29/5/23

**Industry Registration ID:** 

O18JAL62316

Application No:

21513972

To,

Joginder Singh

H.no.76 Choti Baradari Part-1 Jalandhar

Jalandhar, Punjab-144020

Subject:

Grant of 'Consent to Operate'an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for

discharge of effluent.

With reference to your application for obtaining 'Consent to Operate' an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, authorized to operate an industrial unit fordischarge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

#### 1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.		CTOW/Fresh/JAL2/2023/21513972
Date of issue:	The second second second	19/05/2023
Date of expiry:	and the same of th	31/03/2024
Certificate Type:	Section 1997	Fresh

#### 2. Particulars of the Industry

63 44-04-3	A CONTRACTOR OF THE PROPERTY O
Name & Designation of the Applicant	Joginder Singh, (Partnership)
Address of Industrial premises	M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar , Jalandhar I,Jalandhar Ii-144020
Capital Investment of the Industry	6733.0 lakhs
Category of Industry	Orange
Type of Industry	2021-Building and construction project more than 20,000 sq. m built up area and having waste water generation less than 100 KLD
Scale of the Industry	Small
Office District	Jalandhar Ii
Consent Fee Details	Rs. 72,000/- Vide UTR/Reference No. AXSK230450002669 dated 14.02.2023
Raw Materials(Name with quantity per day)	35 number + 4 floor independent plots with stilt parking and 10 no.shops.
Products (Name with quantity per day)	35 number + 4 floor independent plots with stilt parking and 10 no.shops.
By-Products, if any,(Name with quantity per day)	Nil
Details of the machinary and processes	As per application.

"This is computer generated document from OCMMS by PPCB"

M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar Jalandhar I,Jalandhar Ii,144020

Page l

Details of the Effluent Treatment Plant	Nil	
Mode of Disposal	Domestic Effluent @ 75 KLD onto land for plantation / green area after treatment through STP and rest into sewer	
Standards to be achieved under Water(Prevention & Control of Pollution) Act, 1974	As prescribed by the Board.	

<u>M</u>

(Ravinder Bhatti) Environmental Engineer

19/05/2023

For & on behalf

of

(Punjab Pollution Control Board)

PUNJAB

Dated:

A copy of the above is forwarded to the following for information and necessary action please: Environmental Engineer, Regional office-2, Jalandhar.

Endst. No.:

19/05/2023

(Ravinder Bhatti) Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar ,Jalandhar I,Jalandhar Ii, 144020

Page2

#### TERMS AND CONDITIONS

#### A. GENERAL CONDITIONS

- This consent is not valid for getting power load from the Punjab State Power Corporation Limited or for getting loan from the financial institutions.
- The industry shall apply for renewal/further extension in validity of consent atleast two months before
  expiry of the consent.
- The industry shall ensure that the effluent discharging through the authorized outlet shall confirm to the
  prescribed standards as applicable from time to time.
- The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees
  per hectare all along the boundary of the industrial premises.
- The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/recirculation system installed shall be the entire responsibility of the industry.
- 6. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes (Management, Handling and Trans boundary Movement) Rules, 2008 as amended time to time, without any adverse effect on the environment, in any manner
- 7. The responsibility to monitor the effluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
- The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year.
- 9. The industry shall submit a yearly certificate to the effect that no addition/up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent
- 10. During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
- 11. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions.
- The industry shall not change or alter the manufacturing process(es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.
- 13. Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and upset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
- 14. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.
- 15. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Punjab Pollution Control Board of the concerned Regional Office.
- 16. The industry shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.
- 17. The industry shall provide online monitoring equipment λ/2s for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
- 18. The pollution control devices shall be interlocked with the manufacturing process of the industry.
- 19. The authorized outlet and mode of disposal shall not be changed without the prior written permission of the
- 20. The industry shall comply with the conditions imposed by the SEIAA / MOEF in the environmental clearance granted to it as required under EIA notification dated14/9/06, if applicable.
- 21. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
- 22. The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.

"This is computer generated document from OCMMS by PPCB"

M/s Royal Residency (triworld Developers), 66 Feet Road Village Kadiawali Jalandhar ,Jalandhar I, 144020

Page3

- 23. The industry shall make necessary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:-
  - (i) Once in Year for Small Scale Industries.
  - (ii) Four in a Year for Large/Medium Scale Industries.
  - (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
- 24. The industry shall provide electromagnetic flow meters at the source of water supply, at inlet/outlet of effluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.
- 25. The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.
- 26. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
- 27. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
- 28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
- 29. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of septic tank.
- 30. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.
  - (i) Where unavoidable to prevent loss of life or some property damage or
  - (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
- The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.
- The industry shall comply with the code of practice as notified by the Government/ Board for the type of
  industries where the siting guidelines/ code of practice have been notified.
- 33. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such materials from entering into natural water.
- 34. The industry shall re-circulate the entire cooling water and shall also re-circulate/reuse to the maximum extent the treated effluent in processes
- 35. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of re-circulation system/ effluent treatment plant.
- 36. The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises during rainy season and no demand period.
- 37. Where excessive storm water drainage or run off, would damage facilities necessary for compliance with terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
- 38. The industry shall submit a detailed plan showing therein the distribution system for conveying waste-water for application on land for irrigation along with the crop pattern for the year.
- 39. The industry shall ensure that the effluent discharged by it is toxicity free.
- 40. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
- Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided to recover oil & grease from the effluent.

- The industry shall establish sufficient number of piezometer wells in consultation with the concerned 42. Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, and the monitoring shall be submitted to the Environmental Engineer of the concerned Regional Office by the 5th of every month.
- 43. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the consent and shall not carry out any expansion without the prior permission/NOC of the

#### B. SPECIAL CONDITIONS

- 1. The project proponent shall submit effluent sample analysis report of STP analyzed from Board's lab within 3 months.
- 2. The project proponent will maintain daily record regarding consumption of fresh water viz-a-viz generation of domestic effluent and its usage.
- The project proponent shall use the treated effluent for onto land for plantation within its premises as per Karnal Technology.
- 4. The project proponent will obtain permission from PWRDA regarding extraction of ground water.
- 5. The project proponent will obtain permission from PWRDA regarding extraction of ground water.

  5. The project proponent shall adopt a suitable management system for collection, segregation, treatment and disposal of solid waste as per provision of Solid Water Management Rules, 2016.

  6. The project proponent shall complying with the conditions of Environmental Clearance granted under EIA notification dated 14.09.2006 for establishment of a Group Housing Project issued vide no DECC/SEIAA/2019/828 dated 22.08.2019.
- 7. The project proponent shall comply with the various terms and conditions of the CLU granted to it. 8. The project proponent shall provide properly designed rain water harvesting pits for ground water
- recharge.

  9. The project proponent shall utilize treated wastewater from nearby STPs for the construction purpose and shall submit an agreement in this regard within one month.
- 10. The project proponent shall ensure segregation of solid waste at source, facilitate collection of segregated waste in separate streams, handover recyclable material to either the authorized waste pickers or the authorized recyclers as prescribed in Solid Waste Management Rules, 2016. The bio-degradable waste shall be processed, treated and disposed of through composting by providing mechanical composter of capacity 100 kg/day
- 11. The project proponent shall ensure that all the construction material and debris shall be carried out in trucks or other vehicles which are fully covered and protected so as to ensure that the construction debris or the construction material does not get disburse into the air or atmosphere in any form.
- 12. The project proponent shall take all necessary steps to control the dust emissions to be generated from the construction activities of the project.
- 13. The promoter company shall comply with the provisions of the Construction and Demolition Management Rules, 2016.

19/05/2023

(Ravinder Bhatti) **Environmental Engineer** 

For & on behalf

(Punjab Pollution Control Board)



(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

#### **TEST REPORT**





ULR No. : TC747723000000809F  Type of Sample : Soil.		Test Report No.: EL300123NS001  Date of Reporting: 04/02/2023		
Customer	Royal Residency M/s Triworld Developers Royal Residency, 66 Ft Road, Village Kadlanwali, Jalandhar, Punjab	Work Order No. & Date	EMS/T/5135 DT:27.01.2023	
		Customer reference No. (if any)		
Sampling Protocol	USEPA/600/R-92/128	Mode of Collection of Sample	Sampling by laboratory	
Date of Sampling	30/01/2023	Date of Receipt of Sample	30/01/2023	
Sampling Location	Project Site	Testing Location	Permanent Facility	
Testing Protocol	IS Method	Period of Analysis	30/01/2023 To 04/02/2023	
Sample Description	Brown coloured soil.			
Sample Description		Period of Analysis		

#### **RESULTS**

#### I. Chemical Testing

#### 1. Pollution & Environment (Soil)

S.No.	Test Parameter	Unit	Result	Test Method
_1	pH		8.49	IS:2720 (Part-26) CI-2,
2	Conductivity	mmhos/cm	0.208	IS:14767
3	Moisture Content	%	9.2	IS:2720 (Part-II) Sec-1
_4	Organic Matter	%	1.25	IS: 2720 (Part XXII) Sec-1,
5	Texture		Sandy Loam	IS:2720 (Part-4) Cl 2,4,
_6	Bulk Density	gm/cc	1.75	IS: 2720 (Part-7)

Remarks:

NA

OTHER INFORMATION

Terms & Conditions:

Abbreviation:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*





(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

#### **TEST REPORT**





ULR No. : T Type of Sample : A	C747723000000814F mbient Air Quality	Test Report No.: EL310123NA001  Date of Reporting: 04/02/2023		
Customer	Royal Residency M/s Triworld Developers Royal Residency, 66 Ft Road,	Work Order No. & Date EMS/T/5135 DT:27		
	Village Kadianwali, Jalandhar, Punjab	Customer reference No. (If any)	NA NA	
Sampling Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Mode of Collection of Sample	Sampling by laboratory	
Date of Sampling	30/01/2023	Date of Receipt of Sample	31/01/2023	
Sampling Location	Project Site (Near Site Office)	Period of Analysis	31/01/2023 To 04/02/2023	
Testing Protocol	IS:5182 and CPCB Air Manual Volume-i (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Environmental Conditions	Clear sky	
Testing Location	On Site & Permanent Facility			

#### **RESULTS**

#### **I-Chemical Testing**

1. Atmospheric Pollution (Ambient Air)

S.No.	Test Parameter	Unit	Result	Standard	Method
1	Respirable Suspended Particulate Matter (as PM10)	μg/m³	90	100	IS: 5182 (Part-23)
2	Particulate Matter (as PM2.5)	μg/m³	50	60	Lab SOP: EL/SOP/AAQ/01, Issue No. 03, Jan 01
3	Sulphur Dioxide (as SO2)	μg/m³	13	80	IS: 5182 (Part-2)
4	Nitrogen Dioxide (as NO2)	μg/m³	38	80	IS: 5182 (Part-6)
5	Ammonia (as NH3)	μg/m³	30	400	Lab SOP: EL/SOP/AAQ/02, Issue No03, Jan 01
6	Ozone (as O3)	μg/m³	18	180	IS: 5182 (Part-9)
_ 7	Carbon Monoxide (as CO),	mg/m³	0.72	04	IS: 5182 (Part-10), NDIR Method

Remarks:

**OTHER INFORMATION** Abbreviation:

Terms & Conditions:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*

**Authorized Signatory-Chemical** 

Format No.: .F/7.8.2-AA-01-26.11.19 Rev 04



(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

#### TEST REPORT





ULR No. : To	C747723000000828F	Test Report No.:	EL310123NN001
Type of Sample: A	mbient Noise	Date of Reporting :	04/02/2023
Customer	Royal Residency M/s Triworld Developers Royal Residency, 66 Ft Road, Village Kadianwali, Jalandhar, Punjab	Work Order No. & Date	EMS/T/5135 DT:27.01.2023
		Customer reference No. (If any)	NA
Sampling Protocol	IS 9989-1989, RA 2008.	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	30/01/2023	Date of Receipt of Sample	31/01/2023
Sampling Location	Project Site (Near Site Office)	Period of Analysis	31/01/2023 To 31/01/2023
Testing Protocol	IS 9989-1989, RA 2008.		1 IVA
Testing Location	On Site & Permanent Facility		( / C. N. II

#### RESULTS

#### I- Chemical Testing

1. Atmospheric Pollution (Ambient Noise Level)

S.No.	Test Parameters	Units	Results	Method
1	Ambient Day Time Noise Levels	dB(A)	53.9	LAB SOP: EL/SOP/AN/01, Issue No04, Nov 10

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Code Category of Area/Zone		Limits in dB(A) Leq*	
		Day Time	Night Time	
Α	Industrial area	75	70	
В	Commercial area	65	55	
С	Residential area	55	45	
D	Silence Zone	50 40		

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority. \*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks:

**OTHER INFORMATION** 

Abbreviation: Terms & Conditions: ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*

Umesh Kuma

**Authorized Signatory-Chemical** 

Format No.: .F/7.8.2-AN-01-26.11.19 Rev04

Page No. 1/1



(Formerly known as Eco Laboratories & Consultants Pvt. Ltd.)

#### **TEST REPORT**





Ground Water)	Test Report No.: EL300123NW001					
Residency	Work Order No. & Date	04/02/2023 EMS/T/5135 DT:27.01.2023				
	Customer reference No. (If any)	NA				
614 (P-1) 2021	Mode of Collection of Sample	Sampling by laboratory				
1/2023	Date of Receipt of Sample	30/01/2023				
Borewell	Testing Location	Permanent Facility				
500-2012 (lind Revision)	Period of Analysis	30/01/2023 To 04/02/2023				
Clear, colourless liquid.						
	Friworld Developers Royal Residency, 66 Ft Road, ge Kadianwali, Jalandhar, Punjab  614 (P-1) 2021  1/2023  Borewell  500-2012 (lind Revision)	Residency  Triworld Developers Royal Residency, 66 Ft Road, le Kadianwali, Jalandhar, Punjab  Customer reference No. (If any)  614 (P-1) 2021  Mode of Collection of Sample  1/2023  Date of Receipt of Sample  Borewell  Testing Location  Period of Analysis				

#### **RESULTS**

#### I-Chemical Testing

#### 1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible ilmit in absence of alternate source	Test Method
1	Colour	Colour Units	BDL(DL5)	5	15	IS: 3025 (Part-4)Cl 2.0
2	Odour		Agreeable	Agreeable		IS:3025 (Part-5)
3	pH @ 25°C		7.25	6.5-8.5		IS:3025 (Part-11)
4	Taste	-	Agreeable	Agreeable		IS: 3025 (Part-8)
5	Turbidity	NTU	BDL(DL1)	1	5	IS 3025 (Part-10)
6	Chloride as Cl	mg/l	45	250	1000	IS: 3025 (Part-32)
7	Iron as Fe	mg/l	0.16	1.0	No relaxation	APHA-23rd Ed -3500Fe-B Phenanthroline Method
8	Total hardness as CaCO3	mg/l	270	200		IS :3025 (Part-21)

#### II -Biological Testing

#### 1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Total coliform	CFU/100ml	Absent	Absent	-	IS:15185
2	E.coli.	CFU/100ml	Absent	Absent	-	IS:15185

Dr. Ajay Kumar

Authorized Signatory-Chemical & Biological

Format No. F/7.8.2-W-01-18.06.20 Rev 05

Page No. 1/2





ULR No. :

TC747723000000810F

Type of Sample: Water (Ground Water)

Test Report No.:

EL300123NW001

Date of Reporting: 04/02/2023

Remarks:

OTHER INFORMATION

Abbreviation: Terms & Conditions: ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*



Dr. Ajay Kumar **Authorized Signatory-Chemical & Biological** 





TriWorldDevelopers

Boyal Residency, 66 Feet Road, Jalandhar 144020, Punjah triworld.17@gmail.com | www.triworldgroup.com

### ENVIRONMENTAL POLICIES

At M/S TRIWORLD DEVELOPERS, we are committed to a long-term sustainable approach to caring for and safeguarding the environment, protecting and improving the quality of the environment in which we all live. We constantly endeavor to balance environmental considerations and social responsibility with our business goals. As a result, we strive to evolve and implement our Corporate Environmental Policy - in addition to complying with environmental laws and regulations. Our environmental policy includes three major components to help minimize our impact on and achieve our objectives around the environment: WASTS REDUCTION AND RECYCLING Helping to preserve the environment by using the principles of reducing, reusing, and recycling. The Company is committed to work towards reducing our overall consumption of material through designing and efficiencies - key elements of a sustainable approach. Further reusing the treated waste wherever possible. RESOURCE CONSERVATION Focusing on improving energy efficiency in building design and construction by using advanced technology & construction techniques, energy conservation best practices in existing and future facilities and reducing energy costs through environmental controls CONSIDERATE PARTNERSHIP Throughout the globe, our company is committed to working with third-party vendors and service providers who, at a minimum, uphold the relevant environmental laws, regulations and policies of the countries in which they do business.

For TRIWORLD DEVELOPERS

Auth. Signatory

aspar Sio Shankar Dass. holding Indian Passport No. J1985726, Dated 20.05.2010, issued at Bahrain, having permanent residence at Mohalla Prempura, Phagwara P.O. District Kapurthala, Punjab. Presently residing at Flat 16, Bldg 1009, Road 1214, Hidd 112, Bahrain do hereby changes my name as (Given name) Jaspa) (Surname) Shankar Dass. Objection(s), if any, may be forwarded to Embassy of India, P.O. Box 26106, Bldg. 1090, Road 2819, Block 428, Al Seef, Bahrain.

ic

d

e,

al

14

n

3-

al

er

0

et

e

e.

is

y

e

of at ng

w x h ra w ra en ed in th

ny in sh of

### PUBLIC NOTICE

I, Aman Sharma S/o No. 13758049N Rank Ex L/Nk Balwant Raj R/o Tatapani Teh. Kalakote Distt. Rajouri hereby declare that my real name is AMAN SHARMA but in my Relationship Certificate it is wrongly spelled as AMMAN SHARMA. Although Aman Sharma and Amman Sharma is one and the same person, but the correct name is AMAN SHARMA and needs to be rectified in the relationship certificate. Objections if anybody have may be filed to the concerned authorities.

#### HOUSING BOARD HARYANA, BAHADURGARH

#### PUBLIC NOTICE

It is for the information of General public that Smt. Alka Garg W/o Sh. Vijay Garg R/o H.No. 2173, Sec.-8, Faridabad (Hr.) has applied for transfer of their Flat No. 1805/GF/Type-A situated in Housing Board Colony Sector-9, Bahadurgarh, Distt. Jhaller in favour of Sh. Vishal Sharma Wo S. Hari Ram Sharma R/o Vill Uchana, Distt. Karnal to this office. Any person regarding transfer of this house has any objection he/she should file objection with documentary proof in writing, in person, to this office within 15 days from the date of publication of this notice. If no objection is received from any person within stipulated period, the permission for transfer of flat will be granted in favour of Sh. Vishal Sharma W/o S. Hari Ram Sharma R/o VIII. Uchana, Distt. Karnal on the basis of documents or policy of the

publication of this notice, if no objection/claim is received from any person within stipulated period, the Permission for transfer of the above said flat shall be transferred accordingly on the basis of documents submitted as per policy of the Board. No claim/objection after that shall be entertained in this regard.

Estate Manager, Housing Board Haryana, Bahadurgarh

#### **Public Notice**

It is for the information of General Public that M/s Triworld Developers has been granted Environmental Clearance by State Level Environment Impact Assessment Authority (SEIAA), Punjab for the development of the 'Group Housing Project' which is located at 66 ft. road, Village Kadianwali (H.B No. 292), Jalandhar, Punjab vide Letter No. DECC/SEIAA/2019/828/ 114 dated 29.08.2019 through our Environmental Consultant "M/s Eco Laboratories & Consultants Pvt. Ltd., Mohali. The copy of the Environmental Clearance along with the conditions to be complied is available with Environmental Clearance portal and with the Project proponent. The interested person (s) can contact either of the two.

M/s.Triworld Developers 66 ft. road, Village Kadianwali (H.B No.292), Jalandhar, Punjab.

M/s. Eco Laboratories & Consultants Pvt. Ltd. E-207, Industrial Area, Phase VIII-B, Sector-74, Mohali, Punjab

# To book your Classifieds ad call

9815006868

ਇਸ ਮੁਖਰਿ Annexure 10 ਹੈ। ਪਲਾਟ ਨੇ 194, ਫਜ-2, ਅਰਸ਼ਨ ਅਸਟੇਟ, ਪਟਿਆਲਾ ਵਿੱਚੋਂ ਸ਼ੀ ਗੋਰਵ ਕਮਾਰ ਦਾ ਹਿੰਸਾ ਸ਼ੀ ਦੀਪਕ ਕਮਾਰ ਪੁੱਤਨ ਸ਼ੀ ਸ਼ਾਮ ਸੁੰਦਰ ਅਤੇ ਸ਼ੀਮਤੀ ਪੀਤੀ ਪਤਨੀ ਸ਼ੀ ਦੀਪਕ ਕੁਮਾਰ ਦੇ ਨਾਮ ਤੋਂ ਵੇਚ ਸਬੰਧੀ ਅੰਨ ਓ ਸੀ. ਦੀ ਆਗਿਆ ਜਾਰੀ ਕਰਨ ਦਾ ਕੇਸ ਇਸ ਦਫ਼ਤਰ ਪਾਸ ਵਿਚਾਰ ਅਧੀਨ ਹੈ। ਇਸ ਪਲਾਟ ਦੀ ਵੇਚ ਸਬੰਧੀ ਆਗਿਆ ਦੇਣ ਤੋਂ ਪਹਿਲਾਂ ਸੂਚਿਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਇਸ ਬਾਰੇ ਕਿਸੇ ਨੂੰ ਕੋਈ ਇਤਰਾਜ ਹੋਵ ਤਾਂ ਇਸ ਵਿਗਿਆਪਨ ਦੀ ਮਿਤੀ ਤੋਂ 15 ਦਿਨਾਂ ਦੇ ਅੰਦਰ-ਅੰਦਰ ਆਪਣਾ ਇਤਰਾਜ ਇਸ ਦਫ਼ਤਰ ਪਾਸ ਨਿਸ਼ਚਿਤ ਮਿਤੀ ਅਤੇ ਸਮੇਂ ਤੋਂ ਸ਼ਾਅਦ ਪ੍ਰਾਪਣਾ ਇਤਰਾਜ ਤੇ ਕੋਈ ਵਿਚਾਰ ਨਹੀਂ ਕੀਤਾ ਜਾਵੇਗਾ ਅਤੇ ਮੁਖਤਿਆਰ ਆਮ ਨੂੰ ਉਕਤ ਪਲਾਟ ਦੀ ਵੇਚ ਸਬੰਧੀ ਆਗਿਆ ਸ਼ੀ ਦੀਪਕ ਕੁਮਾਰ ਪੁੱਤਰ ਸ਼ੀ ਸ਼ਾਮ ਸੁੰਦਰ ਅਤੇ ਸ਼ੀਮਤੀ ਪੀਤੀ ਪਤਨੀ ਸ਼ੀ ਦੀਪਕ ਕੁਮਾਰ ਦੇ ਨਾਮ ਤੇ ਜਾਰੀ ਕਰ ਦਿੱਤੀ ਜਾਵੇਗੀ। ਅਸਟੇਟ ਅਫ਼ਸਰ ਪੁੱਡਾ, ਪਟਿਆਲਾ।

### education

# COACHING

SURYA Coaching Class 1-8 (All Subjects),9 -12 (Phy. Chem.Math Bio), IELTS,comp class at Dhakoli Contact 9914248158,9779316739

### personal

### CHANGE OF NAME

I No. 15495856-N Rank ALD Arvind Kumar, 18 CAVALARY A SQN C/o 56 APO. In my army record my son's name recorded Sauraya but his correct name is Shaurya Hudda for all future purposes.

I, Mandakini Spouse of ALD Chaudhari Dharmendra Shivaji Resident of Qtr No.144/01 New Red Colony 90 Armd Regt Amritsar (PB) have changed my name from Mandakini to Mandakini Dharmendra Chaudhari Vide Affidevit Dt.18-09-2019 Before Court of Amritsar

I No. JC-421276X Ex Sub Dalair singh VPO Mundkhar Teh Bhoranj Distt Hamirpur HP declare to correct my wife's name from Kamlesh Thakur to ਇਨ੍ਹਾਂ ਬੁਣਿਆਂ ਨੂੰ ਠਕਸਾਨ ਕੇ । ਪਿੰਡ ਦੇ ਕੁਝ ਸ਼ਰਾਤਰੀ ਤੋਂ ਇਸ ਜ਼ਮੀਨ 'ਤੇ ਕਬਜ਼ਾ ਲਗਾਉਣੇ ਸ਼ੁਰੂ ਕਰ ਇੱਤੇ, ਜੋ ਦਹੈ। ਕਰ ਸਕਦੀ। ਲੋਕ ਅਦਾਲਤ 'ਚ ਫੈਸਲਾ ਕਰਵਾ ਸਕਦੇ ਹਨ। ਉਨ੍ਹਾਂ ਦੱਸਿਆ ਕਿ ਇਹ ਜਮੀਨ ਪਹਿਲਾਂ ਹੀ ਸਰਕਾਰ ਵਾਲੇ ਰਜਰ ਬਸਤ ਲਈ ਤੁਪਰਾਏ ਰਾਮਗੜ੍ਹੀਆ ਬਰਾਦਰੀ ਨੂੰ ਅਲਾਟ ਕੀਤੀ ਹੋਈ ਹੈ, ਪਰ ਲੋਕਾਂ ਵਾਲੇ ਬੇਸ਼ੁਨਿਆਦ ਦੇਸ਼ ਲਗਾਏ ਜਾ ਰਹੇ ਹਨ।



ਭਾਜ਼ਾਂ ਬਾਰੇ ਦੱਸਦੇ ਹੋਏ ਥਾਣਾ ਮੁਖੀ ਕਮਲਜੀਤ ਸਿੰਘ। (ਸ੍ਰ

# ਤੇ ਪਾਊਡਰ ਸਮੇਤ ਦੋ ਕਾਬੂ

ਜਲੰਧਰ

ਸ ਨੇ ਨਾਕੇਬੰਦੀ ਦੌਰਾਨ ਦੇ ਕਰ ਕੇ ਨਸ਼ੀਲਾ ਪਾਊਡਰ ਪੁੱਛਰਿਗਿਫ਼ ਦੌਰਾਨ ਉਨ੍ਹਾਂ ਨੇ ਦੀ ਵਾਰਦਾਤਾਂ ਕਬੂਲੀਆਂ ਜਮਰਤ ਸਿੰਘ ਨੇ ਦੱਸਿਆ ਮੁਖੀ ਸਥ-ਇੰਸਪੈਕਟਰ ਪੁਲਿਸ ਸਮੇਤ ਸਿਵਲ ਾਕੇਬੰਦੀ ਕੀਤੀ ਹੋਈ ਸੀ ਲਿਸ ਦਾ ਨਾਕਾ ਦੇਖ ਕੇ ਘਬਰਾ ਗਏ। ਸ਼ੱਕ ਦੇ ਆਧਾਰ 'ਤੇ ਰੋਕ ਕੇ ਜਦੋਂ ਤਲਾਸ਼ੀ ਲਈ ਗਈ ਤਾਂ 50 ਗ੍ਰਾਮ ਨਸ਼ੀਲਾ ਪਾਊਡਰ ਬਰਾਮਦ ਹੋਇਆ। ਉਕਤ ਨੌਜਵਾਨਾਂ ਦੀ ਪਛਾਣ ਮਨਿੰਦਰ ਸਿੰਘ ਉਰਫ ਵਿੱਕੀ ਵਾਸੀ ਹਰਨਾਮਦਾਸਪੁਰਾ ਤੇ ਕਮਲਜੀਤ ਸਿੰਘ ਉਰਫ ਕਮਲ ਵਾਸੀ ਚਰਨਜੀਤਪੁਰਾ ਵਜੋਂ ਹੋਈ ਹੈ। ਦੋਵਾਂ ਖ਼ਿਲਾਫ਼ ਮਾਮਲਾ ਦਰਜ ਕਰ ਲਿਆ ਹੈ। ਬਾਣਾ ਮੁਖੀ ਕਮਲਜੀਤ ਸਿੰਘ ਨੇ ਦੱਸਿਆ ਕਿ ਦੋਵਾਂ ਕੋਲੋਂ ਕੀਤੀ ਗਈ ਮੁੱਢਲੀ ਪੁੱਛਗਿੱਛ 'ਚ ਉਨ੍ਹਾਂ ਨੇ ਖ਼ੋਹਬਾਜ਼ੀ ਦੀਆਂ ਚਾਰ ਵਾਰਦਾਤਾਂ ਕਬੁਲੀਆਂ ਹਨ। ਨਸ਼ਾ ਸਮੱਗਲਰਾਂ ਬਾਰੇ ਜਾਣਕਾਰੀ ਦਿੰਦੇ ਹੋਏ ਇੰਸਪੈਕਟਰ ਰਾਜੇਸ਼ ਠਾਕੁਰ।

# ਨਸ਼ੀਲੇ ਪਦਾਰਥਾਂ ਸਮੇਤ 2 ਨੌਜਵਾਨ ਕਾਬੂ

ਰਾਕੇਸ਼ ਗਾਂਧੀ, ਜਲੰਧਰ: ਥਾਣਾ-2 ਦੀ ਪੁਲਿਸ ਨੇ ਗਸ਼ਤ ਦੌਰਾਨ ਮੋਟਰਸਾਈਕਲ ਸਵਾਰ ਦੋ ਨੌਜਵਾਨਾਂ ਨੂੰ ਕਾਬੂ ਕਰ ਕੇ ਉਨ੍ਹਾਂ ਕੋਲੋਂ ਨਸ਼ੀਲਾ ਪਾਊਡਰ ਬਰਾਮਦ ਕੀਤਾ ਹੈ। ਥਾਣਾ ਮੁਖੀ ਇੰਸਪੈਕਟਰ ਰਾਜੇਸ਼ ਠਾਕੁਰ ਨੇ ਦੱਸਿਆ ਕਿ ਏਐੱਸਆਈ ਚੈਨ ਸਿੰਘ ਪੁਲਿਸ ਸਮੇਤ ਪਟੋਲ ਚੋਕ ਕੋਲ ਗਸ਼ਤ ਕਰ ਰਹੇ ਸਨ ਕਿ ਇਕ ਮੋਟਰਸਾਈਕਲ 'ਤੇ ਆਏ ਦੋ ਨੌਜਵਾਨਾਂ ਨੇ ਜਿਵੇਂ ਹੀ ਪੁਲਿਸ ਦੇਖੀ ਤਾਂ ਪਿਛਲੇ

ਨੌਜਵਾਨ ਨੇ ਆਪਣੀ ਜੇਬ 'ਚੋਂ ਕਾਲੇ ਰੰਗ ਦਾ ਲਿਫਾਫਾ ਕੱਢ ਕੇ ਬਾਹਰ ਸੁੱਟ ਦਿੱਤਾ। ਸ਼ੱਕ ਪੈਣ 'ਤੇ ਜਦੋਂ ਦੇਵਾਂ ਨੂੰ ਕਾਬੂ ਕਰ ਕੇ ਉਸ ਲਿਫਾਫੇ ਦੀ ਜਾਂਚ ਕੀਤੀ ਤਾਂ ਉਸ 'ਚੋਂ 50 ਗ੍ਰਾਮ ਨਸ਼ੀਲਾ ਪਾਊਂਡਰ ਬਰਾਮਦ ਹੋਇਆ। ਉਕਤ ਨੌਜਵਾਨਾਂ ਦੀ ਪਛਾਣ ਸੁਨੀਲ ਕੁਮਾਰ ਵਾਸੀ ਬੇਜੇਵਾਲ ਕਪੂਰਥਲਾ ਤੇ ਸ਼ੀਤਲ ਵਾਸੀ ਲਸੂਫ਼ੀ ਮੁਹੱਲਾ ਵਜੋਂ ਹੋਈ ਹੈ, ਖ਼ਿਲਾਫ਼ ਮਾਮਲਾ ਦਰਜ ਕਰ ਲਿਆ ਗਿਆ ਹੈ। w.triwo

ran

LIA

Le

rtal



ਸਿਟੀ ਰੇਲਵੇ ਸਟੇਸ਼ਨ ਦੇ ਪਲੇਟਫਾਰਮ ਨੰਬਰ ਇਕ 'ਤੇ ਖੜੀ ਮਾਲ ਗੱਡੀ ਅਤੇ ਪਲੇਟਫਾਰਮ ਨੰਬਰ-2 'ਤੇ ਖੜੀ ਦਾਦਰ ਐਕਸਪ੍ਰੈੱਸ

### ਮਾਲ ਗੱਡੀ 'ਚ ਆਈ ਸਮੱਸਿਆ

ਜੇਐੱਨਐੱਨ, ਜਲੰਧਰ: ਪਲੇਟਫਾਰਮ 'ਤੇ ਖੜੀ ਮਾਲਗੱਡੀ 'ਚ ਸੋਮਵਾਰ ਬਾਅਦ ਦੁਪਹਿਰ ਸਮੱਸਿਆ ਆ ਗਈ। ਟਰੇਨ ਦਾ ਸਿਗਨਲ ਹੈ ਗਿਆ ਸੀ ਪਰ ਸਮੱਸਿਆ ਕਾਰਨ ਗ੍ਰੀਨ ਸਿਗਨਲ ਨੂੰ ਵਾਪਸ ਹਟਾਇਆ ਗਿਆ। ਅਜਿਹੇ 'ਚ ਪਿੱਛੇ ਅੰਮ੍ਰਿਤਸਰ ਵੱਲ ਜਾਣ ਵਾਲੀ ਦਾਦਰ ਐਕਸਪ੍ਰੈੱਸ ਨੂੰ ਪਲੇਟਫਾਰਮ ਨੰਬਰ-2 'ਤੇ ਲਿਆਂਦਾ ਗਿਆ। ਮਾਲਗੱਡੀ 'ਚ ਆਈ ਸਮੱਸਿਆ ਕਾਰਨ ਪਲੇਟਫਾਰਮ ਨੰਬਰ-1 'ਤੇ ਮਾਲ ਗੱਡੀ ਕਰੀਬ 15 ਤੋਂ 20 ਮਿੰਟ ਤਕ ਖੜੀ ਰਹੀ।

# ਕਰੀਆਂ ਦੇਣ ਦਾ ਟੀਚਾ, ਅਧਿਕਾਰੀ ਕੁਝ ਵੀ ਕਹਿਣ ਤੋਂ ਵੱਟ ਰਹੇ ਟਾਲਾ

# ਅਧਿਕਾਰੀਆਂ ਨੇ ਧਾਰੀ ਚੁੱਪ

ਸੁਨੀਤਾ ਜਿਵਾਨ ਜਿਨ੍ਹਾਂ ਕੀਤਾ ਹੈ, ਵੱਲੋਂ ਜੋ ਸ਼ੁਰੂਆਤ ਨੌਜਵਾਨਾਂ ਹਨਤ ਤੇ ਤੀਆ ਨਵੀਆਂ ਹੈ। ਉਨ੍ਹਾਂ ਹੇਤ ਜ਼ਿਲ੍ਹੇ ਮੁਹੱਈਆਂ ਸਤ ਨੂੰ

ਟੀਚੇ ਦਾ ਬੋਝ ਰ ਗਏ। ਇਸ ਜ਼ ਮੇਲਿਆਂ 'ਚ ਜ਼ਗਾਰਾਂ ਦੀ ਥਾਂ ਜ਼ਿਆਦਾ ਬੈਨਤੀਕਰਤਾਵਾਂ ਦੀ ਉਮੀਦ 'ਚ ਪ੍ਰਸ਼ਾਸਨ ਨੇ ਚਾਰ ਰੁਜ਼ਗਾਰ ਮੇਲੇ ਕਾਲਜ ਤੇ ਯੂਵੀਰਸਿਟੀ 'ਚ ਲਾਏ, ਜਿਸ ਨਾਲ ਉਨ੍ਹਾਂ ਨੂੰ 'ਬੇਰੁਜ਼ਗਾਰ' ਵਿਖਾਉਣ 'ਚ ਕੋਈ ਵੀ ਪਰੇਸ਼ਾਨੀ ਨਹੀਂ ਹੋਈ। ਉਧਰ ਦੂਜਾ ਫਾਇਦਾ ਕਾਲਜਾਂ ਤੇ ਯੂਨੀਵਰਸਿਟੀ ਦਾ ਹੈ ਗਿਆ, ਕਿਉਂਕਿ ਘਰੇ ਬੈਠੇ ਹੀ ਪ੍ਰਸ਼ਾਸਨ ਵੱਲੋਂ ਬੁਲਾਈਆਂ ਕੰਪਨੀਆਂ ਦੇ ਜ਼ਰੀਏ ਉਨ੍ਹਾਂ ਦੇ ਵਿਦਿਆਰਥੀਆਂ ਦੀ ਪੜ੍ਹਾਈ ਦੌਰਾਨ ਹੀ

ਪਲੇਸਮੈਂਟ ਹੈ ਗਈ।
ਕਈ ਵਾਰ ਗਿਣਿਆ ਗਿਆ ਇਕ
ਬੇਰੁਜਗਾਰ : ਪੰਜਾਬ ਸਰਕਾਰ ਦੇ
ਇੰਤੇ 12 ਹਜ਼ਾਰ ਦੇ ਅੰਕੜੇ ਤਕ ਪ੍ਰਚੰਦਣ
ਲਈ ਅਧਿਕਾਰੀਆਂ ਨੇ ਚੰਡੀਗੜ੍ਹ ਬੈਠੇ
ਅਧਿਕਾਰੀਆਂ ਦੀ ਅੱਖਾਂ 'ਚ ਜੰਮ ਕੇ
ਘੱਟਾ ਪਾਇਆ। ਮੋਲੇ 'ਚ ਜੰਕਰ ਇਕ
ਕੇਨਤੀਕਰਤਾ ਚਾਰ ਕੰਪਨੀਆਂ 'ਚ
ਇੰਟਰਵਿਊ ਦੇ ਰਿਹਾ ਸੀ ਤਾਂ ਉਸ ਨੂੰ ਚਾਰਾਂ
ਬਾਵਾਂ 'ਤੇ ਸ਼ਾਰਣਲਿਸਟ ਜਾਂ ਚੁਣ ਲਿਆ
ਗਿਆ ਤਾਂ ਪ੍ਰਸ਼ਾਸਨ ਦੀ ਗਿਣਤੀ 'ਚ ਉਹ

ਚਾਰ ਬਣ ਗਏ। ਅਸਲ 'ਚ ਪ੍ਰਸ਼ਾਸਨ ਮੇਲਾ ਖਤਮ ਹੋਣ ਤੋਂ ਬਾਅਦ ਕੰਪਨੀਆਂ ਵੱਲੋਂ ਚੁਣੇ ਗਏ ਬੇਨਤੀਕਰਤਾਵਾਂ ਦੀ ਲਿਸਟ ਲੈਂਦਾ ਹੈ। ਇਸ ਦੌਰਾਨ ਕਿਉਂਕਿ ਇਕ ਕੰਪਨੀ ਪਤਾ ਨਹੀਂ ਹੁੰਦਾ ਕਿ ਉਸ ਦੇ ਬੇਨਤੀਕਰਤਾ ਨੂੰ ਦੂਜੀ ਕੰਪਨੀ ਨੇ ਵੀ ਚੁਣ ਲਿਆ ਹੈ, ਇਸ ਲਈ ਉਹ ਇਕ ਹੀਂ ਬੇਨਤੀਕਰਤਾ ਹਰ ਕੰਪਨੀ ਦੇ ਖਾਤੇ 'ਚ ਗਿਣ ਲਿਆ ਜਾਂਦਾ ਹੈ।

ਜ਼ਮੀਨੀ ਪੱਧਰ 'ਤੇ ਚਾਹੇ ਨੌਕਰੀ ਮਿਲੇ ਜਾਂ ਨਾ ਮਿਲੇ, ਪਰ ਚੰਡੀਗੜ੍ਹ ਵਾਲੇ ਅਧਿਕਾਰੀ ਉਹ ਅੰਕੜੇ ਵੇਖ ਕੇ ਜ਼ਰੂਰ ਖੁਸ਼ ਹੋਣਗੇ ਤੇ ਸਰਕਾਰ ਚੋਣਾਂ ਦੇ ਮੌਸਮ 'ਚ ਘਰ-ਘਰ ਨੌਕਰੀ ਦੇਣ ਦੀ ਇਸ ਅੰਕੜੇਬਾਜ਼ੀ ਦੀ ਖੇਡ ਦੀ ਚੰਗੀ ਫਸਲ ਜ਼ਰੂਰ ਕੱਟ ਲਵੇਗੀ। ਜ਼ਿਲ੍ਹਾ ਚੁਜ਼ਗਾਰ ਬਿਊਰੋ ਦੀ ਡਿਪਟੀ ਡਾਇਰੈਕਟਰ ਸੁਨੀਤਾ ਕਲਿਆਣ ਨੇ ਕਿਹਾ ਕਿ ਪਹਿਲਾਂ ਵੀ ਬੇਨਤੀਕਰਤਾਵਾਂ ਦਾ ਰਜਿਸਟ੍ਰੇਸ਼ਨ ਕਰਦੇ ਹਨ ਤੇ ਫਿਰ ਕੰਪਨੀ ਤੋਂ ਰਿਪੋਰਟਰ ਲੈਂਦੇ ਹਨ ਕਿ ਕਿੰਨੇ ਨੌਜਵਾਨਾਂ ਨੂੰ ਨੌਕਰੀ ਦਿੱਤੀ ਗਈ ਹੈ।

**Public Notice** 

General Public that M/s Triworld Developers has been granted Environmental Clearance by State Level Environment Impact Assessment Authority (SEIAA), Punjab for the development of the 'Group Housing Project' which is located at 66 ft. road, Village Kadianwali (H.B No. 292) Jalandhar, Punjab vide Letter No. DECC/SEIAA/2019/828/ 114 dated 29.08.2019 through our Environmental Consultant "M/s Eco Laboratories & Consultants Pvt. Ltd., Mohali. The copy of the Environmental Clearance along with the conditions to be complied is available with Environmental Clearance portal and with the Project proponent. The interested person (s) can contact either of the two

M/s.Triworld Developers 66 ft. road, Village Kadianwall (H.B No.292), Jalandhar, Punjab.

M/s. Eco Laboratories & Consultants Pvt. Ltd. E-207, Industrial Area, Phase VIII-B, Sector-74, Mohali, Punjab